



Export catalogue 2018/01


// A history in the world marked by innovation and research





EXPORT CATALOGUE 2018/01


// A history in the world marked
by innovation and research





- 0  CHROMIUM-PLATED


- 1  SINK


- 2  WASH-BASIN - BIDET


- 3  WASHING-MACHINE


- 4  BATH-TUBE


- 5  SHOWER TRAY

- 6  FLOOR DRAIN

- 7  CONDENSATE
AIR-CONDITIONING

- 8  W.C.

- 9  ROSETTES - PIPES

- R  SPARE PARTS

Chapter 0

Code	pag.
0220EC20K7	0.4
0220EC30K7	0.4
0220SP20K7	0.6
0260OT32K7	0.9
0360OT25K7	0.7
0370OT25K7	0.7
0460OT25K7	0.8
0470OT25K7	0.8
0510OT25K7	0.3
0510PR25K7	0.3
0560OT25K7	0.5
0570EC23K7	0.5
0570EC25K7	0.5
0570OT25K7	0.5
0571OT25S7	0.10
0590AB25K7	0.1
0590OT25K7	0.1
0595EC25K7	0.2
0595PR25K7	0.2
0595SP25K7	0.6
0599OT50B7	0.24
0626AB25B7	0.23
0626CC25B7	0.23
0632AB25B7	0.23
0632AB30B7	0.23
0632CC25B7	0.23
0632CC30B7	0.23
0694GZ32B3	0.24
0694GZ40B3	0.24
0710AR54B7	0.24
0720AB32B7	0.17
0720AB64B0	0.17
0730AB32B0	0.23
0730AB32B7	0.23
0750AR54B0	0.18
0750AR54B7	0.18
0750AR64B0	0.18
0820CR99S7	0.20
0820OT99S7	0.20
0831OT84S7	0.21
0832OT64S7	0.22
0847OT74S7	0.19
0926CN54B7	0.12
0926MG54B7	0.12
0941OT54S7	0.12
0942OT54S7	0.12
0943OT54S7	0.12
0945OT54S7	0.12
0951OT54S7	0.11
0961OT54S7	0.11
0973IX54S7	0.13
0973RV54S7	0.13
0974IX54S7	0.14
0974RV54S7	0.14
0974XL54S7	0.15

Chapter 1

Code	pag.
1021EX45B0	1.16
1022EX45B0	1.16
1031EX45B0	1.15
1032EX45B0	1.15
1092EX45B0	1.16
1270CP40B0	1.10
1279CP40B0	1.10
1280CP40B0	1.10
1289AL40B0	1.10
1310CP40B0	1.7
1316CP40B0	1.7
1320CP40B0	1.8
1326CP40B0	1.8
1370CP54B0	1.9
1376CP54B0	1.9
1380CP54B0	1.9
1386CP54B0	1.9
1460KN50B0	1.11
1490CP40B0	1.11
1490KP40B0	1.11
1491CP40B0	1.11
1510CP40B0	1.13
1520CP40B0	1.14
1530CP40B0	1.14
1540CP40B0	1.13
1620CP40B0	1.12
1620KP40B0	1.12
1660KN50B0	1.12
1720CP40B0	1.12
1820NN54B0	1.17
1820NN64B0	1.17
1822AR54B0	1.18
1822AR64B0	1.18
1824AR54B0	1.18
1824AR64B0	1.18
1825AR54B0	1.18
1825AR64B0	1.18
1825PP54B0	1.17
1825PP64B0	1.17
1829PR26B0	1.17
1829PR32B0	1.17
1829PR40B0	1.17
1856FX64B0	1.16
1856FX64S0	1.16
1868GZ80B0	1.19
1874NN44B0	1.19
1874NN54B0	1.19
1875NN44B0	1.19
1875NN64B0	1.19
1910MG64B0	1.6
1910WL64B0	1.6
1942MG64B0	1.5
1943MG64B0	1.5
1944MG64B0	1.5
1945MG64B0	1.5

Code	pag.
1950MG64B0	1.6
1951MG64B0	1.6
1958MG54B0	1.6
1959MG54B0	1.6
1970EC83B7	1.19
1970LB83B7	1.19
1971AL64B0	1.2
1971LB64B0	1.2
1971LX64B0	1.1
1972AL64B0	1.2
1972LB64B0	1.2
1972LX64B0	1.1
1973AL64B0	1.2
1973LB64B0	1.2
1973LX64B0	1.1
1975AL64B0	1.2
1975LB64B0	1.2
1975LX64B0	1.1
1981LX64B0	1.3
1983LX64B0	1.4
1985LX64B0	1.4
1989LX64B0	1.3

Chapter 2

Code	pag.
2024MG54B0	2.10
2024WL54B0	2.10
2126CP32B0	2.5
2126CP40B0	2.5
2314CP32B0	2.2
2410CP26B0	2.9
2630CM35B0	2.6
2630CP32B0	2.6
2630CP40B0	2.6
2634WL32B0	2.6
2634WL40B0	2.6
2644WE32B0	2.9
2644WE40B0	2.9
2710PP30B0	2.1
2710SP30B0	2.4
2720PP20B0	2.4
2730PP32B0	2.1
2750PP32B0	2.1
2770PP32B0	2.1
2795PP32B0	2.3
2795SP32B0	2.3
2814OT54B0	2.7
2814OT54B7	2.7
2814PP54B0	2.8
2814PP54B7	2.8
2910CP32B0	2.2
2990CR70B0	2.10

Chapter 3

Code	pag.
3110CR40B2	3.4
3110GZ40B2	3.4
3120FX20B2	3.9
3200CR50B9	3.1
3200EC50B9	3.1
3200IX50B9	3.1
3360CR50B9	3.7
3380GZ50B9	3.7
3400CR40B9	3.2
3400EC40B9	3.2
3400IX40B9	3.2
3435CR40B9	3.4
3435EC40B9	3.4
3445CR40B9	3.3
3445EC40B9	3.3
3530CR32B7	3.6
3530GZ32B0	3.6
3590GZ24B0	3.5
3880GZ50B2	3.8
3890GZ50B2	3.8
3920CR44B7	3.9
3920EC44B0	3.9
3930EC44B0	3.9
3970EC34B0	3.9

Chapter 4

Code	pag.
4020AB50K7	4.1
4020OT50K7	4.2
4028AB50S7	4.1
4028OT50S7	4.2
4040OT50S7	4.3
4048OT50S7	4.3
4110PP64B0	4.5
4140EX64B0	4.4
4149EX64B0	4.4
4500OT64B9	4.5
4500PP64B9	4.5
4510OT64B0	4.5
4510PP64B0	4.5

Chapter 5

Code	pag.
5120NC80B9	5.8
5123NC80B0	5.8
5220CR40S7	5.3
5220CR50S7	5.3
5220IX40S7	5.3
5220IX50S7	5.3
5229AR79B4	6.32
5230CR40S7	5.4
5230CR50S7	5.4
5230IX40S7	5.4
5230IX50S7	5.4
5270AB12S7	5.2
5270IX12S7	5.2
5280AB12S7	5.1
5280IX12S7	5.1
5280ST12B7	5.2
5290AB12S7	5.1
5290IX12S7	5.1
5290ST12B7	5.2
5470CR80B2	5.6
5480CR80B9	5.5
5484CR80B9	5.6
5490CR80B0	5.5
5494CR80B0	5.6
5780CR80B0	5.7
5830MG80B0	5.9
5880CR80B2	5.8
5890CR80B2	5.8
5941MG80B0	5.9
5964NC70B0	5.9
5965NC70B0	5.9

Chapter 6

Code	pag.
6195IX32S2	6.35
6195IX40S2	6.35
6229AR90B4	6.32
6292IX10S7	6.29
6292IX15S7	6.29
6292IX20S7	6.29
6292MX15S7	6.30
6292TR15S2	6.30
6293IX10S7	6.30
6293IX15S7	6.30
6300IX40S7	6.25
6300IX50S7	6.25
6314PV40S2	6.19
6314PV50S2	6.19
6338IM40S2	6.26
6338IM50S2	6.26
6338PV40S2	6.26
6338PV50S2	6.26

Chapter 7

Code	pag.	Code	pag.	Code	pag.	Code	pag.	Code	pag.
63400T54B9	6.40	6825HX30S	6.14	6895AC50S	6.10	7810PA40K2	7.1	8800CR32B7	8.12
63400T64B9	6.40	6825HX40S	6.14	6895AC60S	6.10	7810PA50K2	7.1	8801CR32B7	8.12
6384CR10B9	6.36	6825HX50S	6.14	6895AC70S	6.10	7830UN32B0	7.3	8820AB40B0	8.14
64400T54B9	6.40	6825HX60S	6.14	6895AC80S	6.10	7840EC32B0	7.2	8820PP40B0	8.14
64400T64B9	6.40	6825HX70S	6.14	6895AC90S	6.10	7841EC32B0	7.2	8830UN32B0	8.15
6501IX50S7	6.37	6825HX80S	6.14	6895AL100S	6.11	7882PE20B0	7.4	8845PV30C2	8.15
6501IX75S7	6.37	6825HX90S	6.14	6895AL20S	6.11	7886PP32B0	7.4	8850KT32B2	8.13
6503IX50S7	6.37	6825KX100S	6.14	6895AL30S	6.11	7892PP18C0	7.4	8890PV30C2	8.15
6503IX75S7	6.37	6825KX20S	6.14	6895AL40S	6.11	7892PP20C0	7.4		
6560PP12C2	6.38	6825KX30S	6.14	6895AL50S	6.11				
6560PP12RG2	6.38	6825KX40S	6.14	6895AL60S	6.11				
6560PP17C2	6.38	6825KX50S	6.14	6895AL70S	6.11				
6560PP17RG2	6.38	6825KX60S	6.14	6895AL80S	6.11				
6560RD12C2	6.38	6825KX70S	6.14	6895AL90S	6.11				
6560RD12RG2	6.38	6825KX80S	6.14	6895MX100S	6.12	8210UN11B0	8.6	9002PP20C3	9.10
6560RD17C2	6.38	6825KX90S	6.14	6895MX20S	6.12	8250EC55B0	8.1	9002PP25C3	9.10
6560RD17RG2	6.38	6825MX100S	6.6	6895MX30S	6.12	8250EC55C0	8.1	9002PP30C3	9.10
6630IX15S	6.33	6825MX110S	6.6	6895MX40S	6.12	8250EX55B0	8.1	9002PP40C3	9.10
6630IX20S	6.34	6825MX120S	6.6	6895MX50S	6.12	8401PP10B0	8.12	9010AF44B0	9.13
6631IX15S	6.33	6825MX60S	6.6	6895MX60S	6.12	8401PP11B0	8.12	9010AF54B0	9.13
6631IX20S	6.34	6825MX70S	6.6	6895MX70S	6.12	8401PP90B0	8.12	9010AF64B0	9.13
6640IX15S	6.33	6825MX80S	6.6	6895MX80S	6.12	8416PV10C0	8.11	9020RD54B0	9.13
6640IX20S	6.34	6825MX90S	6.6	6895MX90S	6.12	8418PV10C0	8.11	9020RD64B0	9.13
6740IX10B0	6.36	6825VX100S	6.13	6910PP13RG2	6.39	8423HL10C0	8.9	9050MS26B0	9.13
6770EC40B2	6.20	6825VX20S	6.13	6910PP15RG2	6.39	8424LX10C0	8.10	9050MS32B0	9.13
6770EC50B2	6.20	6825VX30S	6.13	69150CK15S7	6.31	8425HL10C0	8.9	9324ZN54B0	9.7
6813IM12C	6.24	6825VX40S	6.13	69240IX10S7	6.27	8426LX10C0	8.10	9326OT44B0	9.1
6814IM12C	6.24	6825VX50S	6.13	69240IX15S7	6.27	8427HL10C0	8.9	9326PP44B0	9.2
6822AD100C	6.23	6825VX60S	6.13	69240IX20S7	6.27	8428LX10C0	8.10	9326RM44B0	9.3
6822AD110C	6.23	6825VX70S	6.13	69240MX15S7	6.28	8429LX10C0	8.10	9328ZN54B0	9.7
6822AD120C	6.23	6825VX80S	6.13	69240TR15S2	6.28	8430PV10C0	8.7	9332CC32B0	9.4
6822AD2033C	6.23	6825VX90S	6.13	69250IX10S7	6.27	8431PP11C0	8.7	9332OT44B0	9.1
6822AD33C	6.23	6830AB05S	6.18	69250IX15S7	6.27	8431PP90C0	8.7	9332OT54B0	9.1
6822AD5010C	6.23	6835AL09S	6.18	69250IX20S7	6.27	8431PV10C0	8.7	9332PP54B0	9.2
6822AD60C	6.23	6835AL100S	6.16	69250MX15S7	6.28	8432PP11C0	8.7	9332RM44B0	9.3
6822AD70C	6.23	6835AL10S	6.18	69250TR15S2	6.28	8432PP90C0	8.7	9332RM54B0	9.3
6822AD80C	6.23	6835AL110S	6.16	6940PE13B9	6.39	8435PV10C0	8.8	9332RP54B0	9.3
6822AD90C	6.23	6835AL120S	6.16	6950PE13B2	6.39	8436PP11C0	8.8	9332RS44B7	9.8
6822AR85B4	6.21	6835AL60S	6.16	6950PE15B2	6.39	8436PP90C0	8.8	9332RS54B7	9.8
6825AC100S	6.4	6835AL70S	6.16	6956CX50S9	6.35	8439PP10C0	8.2	9334OT54B0	9.1
6825AC110S	6.4	6835AL80S	6.16	6960PE13B9	6.39	8439PP11C0	8.2	9334PP54B0	9.2
6825AC120S	6.4	6835AL90S	6.16	6970AC38B	6.38	8439PP90C0	8.2	9334RM54B0	9.3
6825AC60S	6.4	6835MX09S	6.18	6980PP50B2	6.22	8530PP10C0	8.4	9334RP54B0	9.3
6825AC70S	6.4	6835MX100S	6.16	6990AB50B2	6.22	8530PP11C0	8.4	9340CC40B0	9.4
6825AC80S	6.4	6835MX10S	6.18			8530PP90C0	8.4	9340OT64B0	9.1
6825AC90S	6.4	6835MX110S	6.16			8530UN90C0	8.4	9340PP64B0	9.2
6825AL100S	6.5	6835MX120S	6.16			8531PP10C0	8.4	9340RM64B0	9.3
6825AL110S	6.5	6835MX60S	6.16			8531PP11C0	8.4	9340RP64B0	9.3
6825AL120S	6.5	6835MX70S	6.16			8531PP90C0	8.4	9340RS64B7	9.8
6825AL60S	6.5	6835MX80S	6.16			8531UN90C0	8.4	9345OT64B0	9.1
6825AL70S	6.5	6835MX90S	6.16			8540PP90C0	8.3	9345PP64B0	9.2
6825AL80S	6.5	6895AC100S	6.10			8540UN90C0	8.3	9345WS64B0	9.5
6825AL90S	6.5	6895AC20S	6.10			8541PP90C0	8.3	9354CT32B0	9.5
6825HX100S	6.14	6895AC30S	6.10			8541UN90C0	8.3	9354FM32B0	9.5
6825HX20S	6.14	6895AC40S	6.10			8620IX10B0	8.5	9364FM40B0	9.5

Chapter 8

Code	pag.
8210UN11B0	8.6
8250EC55B0	8.1
8250EC55C0	8.1
8250EX55B0	8.1
8401PP10B0	8.12
8401PP11B0	8.12
8401PP90B0	8.12
8416PV10C0	8.11
8418PV10C0	8.11
8423HL10C0	8.9
8424LX10C0	8.10
8425HL10C0	8.9
8426LX10C0	8.10
8427HL10C0	8.9
8428LX10C0	8.10
8429LX10C0	8.10
8430PV10C0	8.7
8431PP11C0	8.7
8431PP90C0	8.7
8431PV10C0	8.7
8432PP11C0	8.7
8432PP90C0	8.7
8435PV10C0	8.8
8436PP11C0	8.8
8436PP90C0	8.8
8439PP10C0	8.2
8439PP11C0	8.2
8439PP90C0	8.2
8530PP10C0	8.4
8530PP11C0	8.4
8530PP90C0	8.4
8530UN90C0	8.4
8531PP10C0	8.4
8531PP11C0	8.4
8531PP90C0	8.4
8531UN90C0	8.4
8540PP90C0	8.3
8540UN90C0	8.3
8541PP90C0	8.3
8541UN90C0	8.3
8620IX10B0	8.5

Chapter 9

Code	pag.
9002PP20C3	9.10
9002PP25C3	9.10
9002PP30C3	9.10
9002PP40C3	9.10
9010AF44B0	9.13
9010AF54B0	9.13
9010AF64B0	9.13
9020RD54B0	9.13
9020RD64B0	9.13
9050MS26B0	9.13
9050MS32B0	9.13
9324ZN54B0	9.7
9326OT44B0	9.1
9326PP44B0	9.2
9326RM44B0	9.3
9328ZN54B0	9.7
9332CC32B0	9.4
9332OT44B0	9.1
9332OT54B0	9.1
9332PP54B0	9.2
9332RM44B0	9.3
9332RM54B0	9.3
9332RP54B0	9.3
9332RS44B7	9.8
9332RS54B7	9.8
9334OT54B0	9.1
9334PP54B0	9.2
9334RM54B0	9.3
9334RP54B0	9.3
9340CC40B0	9.4
9340OT64B0	9.1
9340PP64B0	9.2
9340RM64B0	9.3
9340RP64B0	9.3
9340RS64B7	9.8
9345OT64B0	9.1
9345PP64B0	9.2
9345WS64B0	9.5
9354CT32B0	9.5
9354FM32B0	9.5
9364FM40B0	9.5

Code	pag.	Code	pag.	Code	pag.
9370FM64B0	9.5	CP4351	R.3	RS0738	R.6
9374FM54B0	9.5	CP4352	R.3	RS0739	R.6
9380FM50B0	9.6	CS2966	R.4	RS1026	R.4
9390FF40B0	9.6	CS3934	R.4	RS1562	R.4
9434PP54B0	9.4	CS4058	R.4	RS1573	R.4
9445PP64B0	9.4	CS4815	R.4	RS1574	R.4
9532RP54B0	9.9	CU0082	R.7	RS2262	R.4
9533PP54B0	9.9	CU0083	R.7	RS2274	R.4
9544PP64B0	9.9	ESP-0593	R.9	RS2547	R.4
9640RP64B0	9.9	ESP-2394S	R.8	TC0392	R.5
9888PP12B6	9.12	ESP-2460S	R.8	TC0693	R.6
9888PP12B8	9.12	ESP-2461S	R.8	TP1741	R.5
9911PP36B0	9.12	ESP-2486S	R.8	TP2994	R.4
9930DN10B0	9.11	ESP-2545S	R.8	TP3099	R.6
9930DN12B0	9.11	ESP-2571S	R.9	VT0317	R.3
9930DN14B0	9.11	ESP-2572S	R.9	VT3012	R.3
9930DN16B0	9.11	ESP-300S	R.9	VT4130	R.3
9930DN18B0	9.11	ESP-3311S	R.8		
9930DN20B0	9.11	ESP-3855	R.9		
9930DN22B0	9.11	FR4040	R.6		
9935UN22B0	9.12	FR4140	R.6		
9940D1/2B0	9.11	FR4340	R.6		
9940D3/4B0	9.11	GH1757	R.5		
9940D3/8B0	9.11	GR0130	R.3		
9940DN10B0	9.11	GR0131	R.3		
9940DN12B0	9.11	GR0133	R.5		
9940DN14B0	9.11	GR3690	R.5		
9940DN15B0	9.11	GU0121	R.1		
9940DN16B0	9.11	GU0128	R.1		
9945UN22B0	9.12	GU0420	R.1		
		GU2073	R.1		
		GU2074	R.1		
		GU2200	R.1		
		GU2201	R.1		
		GU2333	R.1		
		GU2334	R.1		
		GU2399	R.1		
		GU2492	R.1		
		GU2853	R.1		
		GU2854	R.1		
		IX0571	R.3		
		IX3077	R.3		
		IX3193	R.3		
		OR0166	R.2		
		OR2819	R.2		
		OR4072	R.2		
		RC4515	R.7		
		RC4581	R.7		
		RS0179	R.4		
		RS0180	R.4		
		RS0181	R.4		
		RS0189	R.6		
		RS0190	R.6		
		RS0386	R.4		

Chapter R

Code	pag.
0831RIC01	R.7
0832RIC01	R.7
0847RIC01	R.7
1880CN45B9	R.2
1880CN52B9	R.2
1880MG45B9	R.2
1880MG52B9	R.2
2880AN40B9	R.2
2880CN40B9	R.2
2880MG40B9	R.2
6825RIC01	R.7
AL0428	R.6
CN0943	R.6
CN0944	R.6
CN1320	R.6
CN1322	R.6
CP2313	R.5
CP2459	R.3
CP3311	R.8

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT



Italia

CERTIFICATO

Nr. 50 100 10756 - Rev.002

Si attesta che / This is to certify that

IL SISTEMA QUALITÀ DI
THE QUALITY SYSTEM OF



BONOMINI S.r.l.

SEDE LEGALE E OPERATIVA:
REGISTERED OFFICE AND OPERATIONAL SITE:

**VIA FERRI 34/36/38
I-25010 BORGOSATOLLO (BS)**

SEDE OPERATIVA:
OPERATIONAL SITE:

**VIA RAFFAELE DE TROJA 72-76
I-25010 BORGOSATOLLO (BS)**

È CONFORME AI REQUISITI DELLA NORMA
HAS BEEN FOUND TO COMPLY WITH THE REQUIREMENTS OF
UNI EN ISO 9001:2015

QUESTO CERTIFICATO È VALIDO PER IL SEGUENTE CAMPO DI APPLICAZIONE
THIS CERTIFICATE IS VALID FOR THE FOLLOWING SCOPE

**Progettazione e fabbricazione di sistemi di scarico per acque reflue,
compresi: tubazioni flessibili, raccordi, sifoni, pilette e componenti
speciali (IAF 14, 17)**

**Design and manufacture of drainage systems, including: flexible
pipes, fittings, traps, wastes, and special components (IAF 14, 17)**



SGQ N° 049A SSI N° 025G ISP N° 057E
SGA N° 019D ITX N° 001L LAB N° 027B
SCR N° 006F SGE N° 013M PRD N° 081B
EMAS N° 013P FRS N° 077C

Membro degli Accordi di Mutuo Riconoscimento
EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual
Recognition Agreements

Per l'Organismo di Certificazione
For the Certification Body
TÜV Italia S.r.l.

Validità / Validity

Dal / From: **2018-01-02**
Al / To: **2020-11-22**


Andrea Coscia
Direttore Divisione Management Service

Data emissione / Printing Date
2018-01-02

PRIMA CERTIFICAZIONE / FIRST CERTIFICATION: 2011-11-23

LA VALIDITÀ DEL PRESENTE CERTIFICATO È SUBORDINATA A SORVEGLIANZA PERIODICA A 12 MESI E AL RISAME COMPLETO DEL SISTEMA DI GESTIONE AZIENDALE CON PERIODICITÀ TRIENNALE.
THE VALIDITY OF THE PRESENT CERTIFICATE DEPENDS ON THE ANNUAL SURVEILLANCE EVERY 12 MONTHS AND ON THE COMPLETE REVIEW OF COMPANY'S MANAGEMENT SYSTEM AFTER THREE-YEARS.

TÜV Italia S.r.l. • Gruppo TÜV SÜD • Via Carducci 125, Pal. 23 • 20099 Sesto San Giovanni (MI) • Italia • www.tuv.it



HOW TO READ THE LOGISTICAL INFORMATIONS:

Code	Description	① Carton	② Pallet	③ Volume
0590AB25K7	Chrome-plated ABS flange	12	504	0,057

- ① CARTON:** It is the quantity of one item per master carton
- ② PALLET:** It is the quantity of one item per pallet
- ③ VOLUME:** It is the master carton's volume (to be used to calculate the total volume of the order)

SEVERELY IMPORTANT!

NOTICE TO THE CUSTOMERS:

-MOQ for ex-works orders is one (1) master carton.

-If an ordered quantity for an item is not a multiple of the MOQ and/or requires the operators to repack in a master carton different than the one stated in the catalogue, **the item's sale price will be charged of a further 5%.**

-When the quantity per master carton is not specified in the catalogue (example: N.A.) it means that the item can be ordered at any desired quantity without extra charges.

-Bonomini Srl reserves the right to change the afore mentioned specifications at any time.

MINIMUM ORDER : € 300,00

PICK-UP POINT ADDRESS:

Bonomini s.r.l.
Via Dott. Raffaele De Troya n.72
25010 Borgosatollo (Brescia) - Italia



0

"Fontana della Barcaccia" (Bernini - 1610) - Roma, Piazza di Spagna




0



CHROMIUM-PLATED






Insert the trap into its place, considering the alignment measure between the pipe and the wall outlet



Cut the exceeding part of the siphon if it corresponds to the measure X+, otherwise buy the special extension MINIM ALL if the measure corresponds to X




"MINIM-ALL" minimal bottle trap line for wash-basin. Waste connection 1"1/4, outlet pipe \varnothing 32x250 mm

Application: For washbasin

Material: ABS + brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
05900T25K7 Professional	Chrome-plated brass flange	12	504	0,057
0590AB25K7	Chrome-plated ABS flange	12	504	0,057



"KING" minimal bottle trap line for wash basin.


Waste connection 1"1/4, outlet pipe \varnothing 32x250 mm

Application: For washbasin

Material: ABS + brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0595PR25K7 Professional	Threaded nut to be connected with the waste in chrome-plated brass, connecting pipe 250 mm long	25	800	0,063
0595EC25K7	Three threaded nuts in chrome-plated ABS	25	800	0,063




"PI-QUADRO" Square minimal design bodyWaste connection 1"1/4, outlet pipe \varnothing 32x250 mm

Application: For washbasin

Material: ABS + brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0510PR25K7 Professional	Threaded nut to be connected with the waste in chrome-plated brass, connecting pipe 250 mm long	25	800	0,063
0510OT25K7	Threaded nut to be connected with the waste in chrome-plated brass, connecting pipe 120 mm long	25	675	0,106



"TUBULAR" pipe odour trap for wash basin.


Three threaded nuts in chrome-plated ABS

Application: For washbasin

Material: ABS

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0220EC20K7	Waste connection 1"1/4, outlet pipe \varnothing 32x200 mm	25	800	0,063
0220EC30K7	Waste connection 1"1/4, outlet pipe \varnothing 32x300 mm	25	625	0,106



"THERMOTRAP" bottle trap for wash basin.

With cleanable cartridge

Application: For washbasin

Material: ABS+brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
05600T25K7	Waste connection 1", outlet pipe \varnothing 26x250 mm	25	800	0,063
0570EC25K7	Waste connection 1"1/4, outlet pipe \varnothing 32x250 mm	25	800	0,063
05700T25K7	Waste connection 1"1/4, outlet pipe \varnothing 32x250 mm	25	800	0,063
0570EC23K7	Waste connection 1"1/4, outlet pipe \varnothing 40x250 mm	25	800	0,063



KING minimal bottle trap line for wash basin. Waste connection 1"1/4, outlet pipe \varnothing 32x250 mm


Application: For washbasin

Material: ABS

Color: Chromed plated



Code	Description	Carton	Pallet	Volume
0595SP25K7	Space-saver version	25	100	0,106



TUBULAR pipe odour trap for wash basin. Waste connection 1"1/4, outlet pipe \varnothing 32x200 mm


Application: For washbasin


Material: ABS

Color: Chromed plated



Code	Description	Carton	Pallet	Volume
0220SP20K7	Space-saver version	25	100	0,106






"ESSE" cleanable trap for wash basin and bidet. Threaded nut to be connected with the waste in chrome-plated brass

Application: For bidet or washbasin

Material: ABS + brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
03600T25K7	Waste connection 1", outlet pipe \varnothing 26x250 mm	25	800	0,063
03700T25K7	Waste connection 1 1/4", outlet pipe \varnothing 32x250 mm	25	800	0,063




"KAPPA" cleanable trap for washbasin and bidet
Threaded nut to be connected with the waste in chrome-plated brass

Application: For bidet or washbasin

Material: ABS+brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
04600T25K7	Waste connection 1", outlet pipe \varnothing 26x250 mm	25	800	0,063
04700T25K7	Waste connection 1"1/4, outlet pipe \varnothing 32x250 mm	25	800	0,063




"TORINO" pipe odour trap for bidetWaste
connection 1"1/4, outlet pipe \varnothing 32x250 mm

Application: For bidet

Material: ABS + brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
02600T32K7	Threaded nut to be connected with the waste in chrome-plated brass	25	100	0,106



"THERMOTRAP" bottle trap for urinals.

Connection \varnothing 50 mm, outlet pipe \varnothing 32x250 mm

Application: For urinal

Material: ABS

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
05710T25S7	Gasket to connect with urinals	25	100	0,106



Non-lockable waste in chrome-plated brass

Waste connection 1"1/4, \varnothing 65 mm flange

Application: For washbasin


Material: brass

Color: Chromed plated


Code	Description	Carton	Pallet	Volume
09510T54S7	With stainless steel central bolt	50	1200	0,034
09610T54S7	With stainless steel central bolt	50	1200	0,034



09510T54S7



09610T54S7




Lockable waste in chrome-plated brass with counter-nut in brass. Waste connection 1"1/4, ø 65 mm flange

Application: For bidet or washbasin


Material: brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
09410T54S7	With overflow	50	1200	0,034
09420T54S7	Without overflow	50	1200	0,034



09410T54S7



09420T54S7


Lockable waste in chrome-plated brass with chrome-plated counter-nut. Waste connection 1"1/4, ø 65 mm flange

Application: For bidet or washbasin


Material: brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
09430T54S7	With overflow	50	1200	0,034
09450T54S7	Without overflow	50	1200	0,034



09430T54S7



09450T54S7


"Simplex" grilled waste in brass. Waste connection 1"1/4, ø 65 mm flange

Application: For washbasin


Material: Stainless steel+brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0926CN54B7	Plug with 25 cm long chain	100	7000	0,029
0926MG54B7	Plug with handle	100	7000	0,029



0926CN54B7



0926MG54B7




Plastic waste for washbasin or bidet, with replaceable click clack mechanism and cover. Waste connection 1"1/4, \varnothing 65 mm flange.

Application: For bidet or washbasin

Material: ABS + Stainless steel

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0973IX54S7	Counter-cup and waste body in chrome-plated ABS, plug in stainless steel	25	240	0,048
0973RV54S7	Counter-cup and waste body in chrome-plated ABS, plug in ABS covered with stainless steel	25	240	0,048





Plastic waste for washbasin or bidet, with replaceable click clack mechanism and cover. Waste connection 1"1/4, Ø 65 mm flange

Application: For bidet or washbasin

Material: ABS+Stainless steel

Color: Chromed plated


Code	Description	Carton	Pallet	Volume
0974IX54S7	Chrome-plated counter-cup, white body with steel flange, plug in stainless steel	25	240	0,048
0974RV54S7	Chrome-plated counter-cup, white body with steel flange, plug in ABS covered with stainless steel	25	240	0,048



0974IX54S7



0974RV54S7





Plastic waste for washbasin or bidet, with replaceable click clack mechanism and cover. Waste connection 1"1/4, \varnothing 65 mm flange

Application: For washbasin


Material: ABS + Stainless steel


Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0974XL54S7	EXTRA-LONG body, for bathroom furniture with very thick tops	5	120	0,029


**VERSIONE
EXTRA LUNGO
180 mm**

**New
PRODUCT**





Determine the extent of the total thickness between the upper edge of the drain and the lower surface of the shelf. Mark the measurement H1.



Add 30mm to size (H1) taken to find the maximum length of the drain, which is the height at which to cut the excess thread.



If necessary, make one or more holes for the passage of water from overflow.



Normal Version




Version with venting valve "AIRPIPE"

AIRPIPE, venting valve \varnothing 32x200 mm

Application: to connect to the siphon

Material: ABS

Color: Chromed plated




Code	Description	Carton	Pallet	Volume
0720AB32B7	Chrome-plated pipe	25	600	0,029

AIRPIPE, venting valve White pipe

Application: to connect to the siphon

Material: ABS

Color: white



Code	Description	Carton	Pallet	Volume
0720AB64B0	Outlet \varnothing 40x140 mm, female connection \varnothing 40 - 1"1/2	25	600	0,029

NON RETURN VALVE

0.18



Valve in open position:
allows the discharge
of the siphon



Valve in closed position:
prevents backflow



Can be installed directly on
the siphons

EASY INSPECTION

Horizontal non return valve. Chrome-plated pipe


Application: to connect to the siphon

Material: ABS

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0750AR54B7	Male inlet \varnothing 32 mm, male outlet \varnothing 32 mm.	25	600	0,029

New
PRODUCT




Horizontal non return valve White pipe

Application: to connect to the siphon


Material: ABS

Color: white


Code	Description	Carton	Pallet	Volume
0750AR54B0	Male inlet \varnothing 32 mm, male outlet \varnothing 32 mm	25	600	0,029
0750AR64B0	Male inlet \varnothing 40mm, male outlet \varnothing 40 mm.	25	600	0,048



0750AR54B0



0750AR64B0




"TAPPAGUASTI" device to repair broken bath-tub drains Stem \varnothing 8/9 mm

Application: For bath-tub

Material: POM+brass

Color: polished

Code	Description	Carton	Pallet	Volume
08470T74S7	Chrome-plated brass plug \varnothing 74 mm	8	1600	0,004



tapparello

0.20

FROM THIS...



...TO THIS



IN LESS THAN A MINUTE



OPENS AND CLOSSES WITH A CLICK

"Tapparello" wastes universal expander device


Supports 1"1/4 and 1"

Application: For washbasin

Material: POM+Stainless steel

Color: polished

Code	Description	Carton	Pallet	Volume
0820OT99S7	Stainless steel plug \varnothing 74 mm	8	1600	0,004
0820CR99S7	Chrome-plated ABS plug \varnothing 64 mm	8	1600	0,004





FROM THIS...



...TO THIS



IN LESS THAN A MINUTE

OPENS AND CLOSSES
WITH A CLICK


"TAPPATUTTO" lockable device (click-clack) for traditional grided sinks. Supports \varnothing 50,5 and 45 mm

Application: For traditional sink valves

Material: POM+Stainless steel

Color: polished

Code	Description	Carton	Pallet	Volume
08310T84S7	Stainless steel plug \varnothing 84 mm	8	1600	0,004






"TAPPATUTTO" lockable device (click-clack) for traditional grilled sinks Supports \varnothing 40 mm and \varnothing 31 mm

Application: For traditional sink valves

Material: POM+Stainless steel

Color: polished

Code	Description	Carton	Pallet	Volume
08320T64S7	Stainless steel plug \varnothing 64 mm	8	1600	0,004




Space-saver kit

Application: For washbasin

Material: ABS

Color: white


Code	Description	Carton	Pallet	Volume
0730AB32B0	White	25	1600	0,048
0730AB32B7	Chrome-plated	25	1600	0,048



0730AB32B0



0730AB32B7




Flanged pipe

Application: To connect the siphon to the valve


Material: ABS

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0626CC25B7	Ø 26 x 250 mm	5/25	N.A.	0,029
0632CC25B7	Ø 32 x 250 mm	5/25	N.A.	0,029
0632CC30B7	Ø 32 x 300 mm	5/25	N.A.	0,029



0626CC25B7



0632CC25B7


Straight outlet pipe

Application: To connect the siphon to the drain


Material: ABS

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0626AB25B7	Ø 26 x 250 mm	5/25	N.A.	0,029
0632AB25B7	Ø 32 x 250 mm	5/25	N.A.	0,029
0632AB30B7	Ø 32 x 300 mm	5/25	N.A.	0,029



0626AB25B7



0632AB25B7


Extension for "MINIM-ALL" minimal line for wash-basin

Application: To connect the siphon to the valve

Material: brass

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0599OT50B7	F 1"1/4 - M 1"1/4. H 50 mm	5	N.A.	0,004



Reduced coupling to connect lead to plastic

Application: To connect the siphon to the drain


Material: brass

Color: raw


Code	Description	Carton	Pallet	Volume
0694GZ32B3	From \varnothing 32 mm to \varnothing 26 mm	10	N.A.	0,004
0694GZ40B3	From \varnothing 40 mm to \varnothing 32 mm	10	N.A.	0,004



0694GZ32B3



0694GZ40B3



Flanged pipe with washing machine


nozzleWaste connection 1"1/4, pipe \varnothing 32 mm

Application: to connect to the siphon

Material: ABS

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
0710AR54B7	Threaded nut in chrome-plated brass	25	200	0,063



"Fonte Gaia" (1419) - Siena, Pienza del Campo



1



1



SINK

CANESTRO

FLEXIBILITY & EXTENSIBILITY

The connection pipe, stamped in one piece only, is flexible and extensible, and allows to solve any problem of lack of inclination between the waste and the overflow, without the use of any washer or joint.




"CANESTRO" drain valve for kitchen sinks
Flange \varnothing 3"1/2, Threaded waste 1"1/2, brass bolt

Application: For kitchen sinks with \varnothing 90 mm hole

Material: polypropylene PP + Stainless steel

Color: white

Code	Description	Carton	Pallet	Volume
1971LX64B0	Without overflow	25	150	0,080
1972LX64B0	With rectangular overflow, without grid	25	150	0,080
1973LX64B0	With rectangular overflow, with grid	25	150	0,080
1975LX64B0	With round overflow	25	150	0,080



BRENNERO LUX



"BRENNERO LUX" drain valve for kitchen sinks

Flange \varnothing 3"1/2, Threaded waste 1"1/2, brass bolt

Application: For kitchen sinks with \varnothing 90 mm hole

Material: polypropylene PP + Stainless steel

Color: white

Code	Description	Carton	Pallet	Volume
1971AL64B0	Without overflow	75	1800	0,070
1972AL64B0	With rectangular overflow, without grid	75	900	0,140
1973AL64B0	With rectangular overflow, with grid	75	900	0,140
1975AL64B0	With round overflow	75	900	0,140




1972AL64B0




1975AL64B0



1971AL64B0



1973AL64B0



BRENNERO ECO

"BRENNERO ECO" drain valve for kitchen sinks

Flange \varnothing 3"1/2, Threaded waste 1"1/2, plastic bolt

Application: For kitchen sinks with \varnothing 90 mm hole

Material: polypropylene PP + Stainless steel

Color: white

Code	Description	Carton	Pallet	Volume
1971LB64B0	Without overflow	75	1800	0,070
1972LB64B0	With rectangular overflow, without grid	75	900	0,140
1973LB64B0	With rectangular overflow, with grid	75	900	0,140
1975LB64B0	With round overflow	75	900	0,140




1972LB64B0




1975LB64B0



1971LB64B0



1973LB64B0





Piletta per lavello in acciaio inox



Piletta per lavello in ceramica

PILETTE CON CESTELLO ESTRAIBILE
 PER LAVELLI SIA IN ACCIAIO INOX CHE
 IN CERAMICA, CON FORO PICCOLO



IDEALE PER IL RICAMBIO
 E L'AMMODERNAMENTO DEI LAVELLI.

"CANESTRINO" drain valve for kitchen
 sinks Threaded waste 1"1/2, brass bolt

Application: For resin kitchen sinks


Material: polypropylene PP + Stainless steel

Color: white


Code	Description	Carton	Pallet	Volume
1981LX64B0	Flange \varnothing 70	50	1500	0,068
1989LX64B0	Flange \varnothing 84	20	1400	0,029



1981LX64B0



1989LX64B0



CANESTRINO



1.4


"CANESTRINO" drain valve for kitchen sinks
Flange \varnothing 70, Threaded waste 1"1/2, brass bolt

Application: For resin kitchen sinks

Material: polypropylene PP + Stainless steel

Color: white

Code	Description	Carton	Pallet	Volume
1983LX64B0	With rectangular overflow, with grid	50	1500	0,08




"CANESTRINO" drain valve for kitchen sinks
Flange \varnothing 70, Threaded waste 1"1/2, brass bolt

Application: For resin kitchen sinks

Material: polypropylene PP + Stainless steel

Color: white

Code	Description	Carton	Pallet	Volume
1985LX64B0	With round overflow	50	1500	0,08




Traditional kitchen sink valve. \varnothing 52 mm plug with handle

Application: For kitchen sinks with \varnothing 70 mm hole

Material: polypropylene PP + Stainless steel

Color: white / stainless steel




Code	Description	Carton	Pallet	Volume
1944MG64B0	Flange \varnothing 70, without overflow	50	3500	0,029

Traditional kitchen sink valve.

Application: For kitchen sinks with \varnothing 70 mm hole

Material: polypropylene PP + Stainless steel

Color: white / stainless steel



Code	Description	Carton	Pallet	Volume
1942MG64B0	Flange \varnothing 70, with rectangular overflow, without grid	50	1500	0,08


Piletta tradizionale per lavello cucina.

Tappo \varnothing 52 mm con maniglia

Application: For kitchen sinks with \varnothing 70 mm hole

Material: polypropylene PP + Stainless steel

Color: white / stainless steel



Code	Description	Carton	Pallet	Volume
1943MG64B0	Flange \varnothing 70, with rectangular overflow, with grid	50	1500	0,08


Piletta tradizionale per lavello cucina.

Tappo \varnothing 52 mm con maniglia

Application: For kitchen sinks with \varnothing 70 mm hole

Material: polypropylene PP + Stainless steel

Color: white / stainless steel



Code	Description	Carton	Pallet	Volume
1945MG64B0	Flange \varnothing 70, with round overflow and grid	50	1500	0,08



Traditional kitchen sink valve. Flange \varnothing 80mm, without overflow, \varnothing 52 mm Plug with handle, threaded outlet 1"1/2

Application: For fire-clay kitchen sinks with \varnothing 80 mm hole

Material: polypropylene PP + Stainless steel

Color: white / stainless steel

Code	Description	Carton	Pallet	Volume
1950MG64B0	Grid in stainless steel 18/C	50	2400	0,048
1951MG64B0	Grid in stainless steel 18/8	50	2400	0,048





Traditional kitchen sink valve. Flange \varnothing 80mm, without overflow, \varnothing 52 mm Plug with handle, threaded outlet 1"1/4

Application: For fire-clay kitchen sinks with \varnothing 80 mm hole

Material: polypropylene PP + Stainless steel

Color: white / stainless steel

Code	Description	Carton	Pallet	Volume
1958MG54B0	Grid in stainless steel 18/C	50	2400	0,048
1959MG54B0	Grid in stainless steel 18/8	50	2400	0,048



"SIMPLEX" small traditional valve for kitchen sinks



Flange \varnothing 70mm, without overflow

Application: For fire-clay kitchen sinks with \varnothing 80 mm hole

Material: polypropylene PP + Stainless steel

Color: white / stainless steel

Code	Description	Carton	Pallet	Volume
1910WL64B0	\varnothing 45,5 mm Plug with ring	50	3500	0,029
1910MG64B0	\varnothing 45,5 mm Plug with handle	50	3500	0,029




"FIASCA" sink bottle odour trap.

Outlet pipe $\varnothing 40 \times 230$ mm

Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1310CP40B0	Valve connection 1"1/2	25	625	0,106


"FIASCA" sink bottle odour trap.

Outlet pipe $\varnothing 40 \times 230$ mm

Application: For single bowl kitchen sinks

Material: polypropylene PP + stainless steel

Color: white



Code	Description	Carton	Pallet	Volume
1316CP40B0	Valve with stainless steel grid $\varnothing 80/52$ mm with plug with handle	25	625	0,106

"FIASCA" sink bottle odour trap.


Outlet pipe ø40 X 230 mm

Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
1320CP40B0	Valve connection 1"1/2	25	500	0,131



"FIASCA" sink bottle odour trap.


Outlet pipe ø40 X 230 mm

Application: For double bowl kitchen sinks

Material: polypropylene PP + stainless steel

Color: white

Code	Description	Carton	Pallet	Volume
1326CP40B0	Valve with stainless steel grid ø 80/52 mm with plug with handle	25	425	0,160




"FIASCHETTO" sink bottle odour trap.

Outlet pipe \varnothing 32 X 200 mm

Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1370CP54B0	Valve connection 1"1/4	25	750	0,08


"FIASCHETTO" sink bottle odour trap.

Outlet pipe \varnothing 32 X 200 mm

Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1376CP54B0	With \varnothing 80 mm plastic grid valve	25	625	0,106


"FIASCHETTO" sink bottle odour trap.

Outlet pipe \varnothing 32 X 200 mm

Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1380CP54B0	Valve connection 1"1/4	25	625	0,106


"FIASCHETTO" sink bottle odour trap.

Outlet pipe \varnothing 32 X 200 mm

Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1386CP54B0	With \varnothing 80 mm plastic grid valve	25	500	0,131

"TEDESCO" bottle odour trap. Threaded nut 1"1/2 , plastic outlet pipe $\varnothing 40$ X 230 mm


Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1270CP40B0	Without valve	50	1000	0,131



"TEDESCO" bottle odour trap. Threaded nut 1"1/2 , plastic outlet pipe $\varnothing 40$ X 230 mm


Application: For single bowl kitchen sinks

Material: polypropylene PP + stainless steel

Color: white



Code	Description	Carton	Pallet	Volume
1279CP40B0	Valve with stainless steel grid $\varnothing 70/45,5$ mm with plug with ring	45	900	0,131



"TEDESCO" bottle odour trap. Threaded nut 1"1/2 , plastic outlet pipe $\varnothing 40$ X 230 mm


Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1280CP40B0	Without valve	25	425	0,131



"TEDESCO" bottle odour trap. Threaded nut 1"1/2 , plastic outlet pipe $\varnothing 40$ X 230 mm


Application: For double bowl kitchen sinks

Material: polypropylene PP + stainless steel

Color: white



Code	Description	Carton	Pallet	Volume
1289AL40B0	Valves with stainless steel grid $\varnothing 70/45,5$ mm with plug with ring, with waste water connection	21	420	0,131



"MAGNUM" pipe odour trap for kitchen sinks.

Outlet pipe $\varnothing 40 \times 230$ mm


Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1490CP40B0	Valve connection 1"1/2	25	750	0,080



"MAGNUM" pipe odour trap for kitchen sinks.

Outlet pipe $\varnothing 40 \times 230$ mm


Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1491CP40B0	Valve connection 1"1/4	25	750	0,080



"MAGNUM" pipe odour trap for kitchen sinks.

Outlet pipe $\varnothing 40 \times 230$ mm


Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1490KP40B0	With waste water connection	25	750	0,080



"MAGNUM" pipe odour trap for kitchen sinks.

Outlet pipe $\varnothing 40/50$ mm


Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1460KN50B0	With universal adjustable outlet pipe and waste water connection	25	750	0,080




"MAGNUM" pipe odour trap for kitchen sinks.

Outlet pipe $\varnothing 40 \times 230$ mm

Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1620CP40B0	Valve connection 1"1/2	25	500	0,131


"MAGNUM" pipe odour trap for kitchen sinks.

Outlet pipe $\varnothing 40 \times 230$ mm

Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1720CP40B0	With auxiliary threaded extensions 1"1/2	25	500	0,131


"MAGNUM" pipe odour trap for kitchen sinks.

Outlet pipe $\varnothing 40 \times 230$ mm

Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1620KP40B0	With waste water connection	25	425	0,160


"MAGNUM" pipe odour trap for kitchen sinks.

Outlet pipe $\varnothing 40 \times 230$ mm

Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1660KN50B0	With universal adjustable outlet pipe and waste water connection	25	425	0,160

SPACE

SOLUZIONE TRADIZIONALE

SOLUZIONE SPACE




"Space 1B" space saver trap for kitchenwaste
connection 1"1/2, outlet \varnothing 40 mm

Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white




Code	Description	Carton	Pallet	Volume
1540CP40B0	single inlet, one waste water connector	25	625	0,106

"Space 1" space saver trap for kitchenwaste
connection 1"1/2, outlet \varnothing 40 mm

Application: For single bowl kitchen sinks

Material: polypropylene PP


Color: white



Code	Description	Carton	Pallet	Volume
1510CP40B0	single inlet, 4 waste water connectors	25	425	0,160

SPACE

SOLUZIONE TRADIZIONALE



1.14

SOLUZIONE SPACE



"Space 2" space saver trap for kitchenwaste connection 1"1/2, outlet \varnothing 40 mm


Application: For double bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1520CP40B0	double inlet, 3 waste water connectors	20	340	0,160



"Space 3" space saver trap for kitchenwaste connection 1"1/2, outlet \varnothing 40 mm


Application: For triple bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1530CP40B0	Triple inlet, 2 waste water connectors	15	255	0,160



EASY TO INSTALL




EASY
to use no tools required



UNIVERSAL

adjustable, fitting
in all situations




"FLEXYBON" flexible kitchen sink siphonwaste
connection 1"1/2, outlet \varnothing 40/50 mm

Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white




"FLEXYBON" flexible kitchen sink siphonwaste
connection 1"1/2, outlet \varnothing 40/50 mm

Application: For single bowl kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1031EX45B0	"FIASCA" version, single	25	625	0,106


Code	Description	Carton	Pallet	Volume
1032EX45B0	"FIASCA" version, double	25	500	0,131

"DOUBLE MAGIK" flexible kitchen sink siphon. Valves \varnothing 80 mm with \varnothing 52 mm plug, outlet \varnothing 40 mm

Application: For double bowl kitchen sinks
Material: polypropylene PP + Stainless steel
Color: white



Code	Description	Carton	Pallet	Volume
1856FX64B0	In polybag	27	540	0,131
1856FX64S0	In box	24	480	0,131




"DOUBLE MAGIK" flexible kitchen sink siphon. Valves \varnothing 80 mm with \varnothing 52 mm plug, outlet \varnothing 40/50 mm

Application: For double bowl kitchen sinks
Material: polypropylene PP
Color: white



Code	Description	Carton	Pallet	Volume
1092EX45B0	"MAGIKONE" version, double	25	750	0,080




"FLEXYBON" flexible kitchen sink siphon. waste connection 1"1/2, outlet \varnothing 40/50 mm

Application: For single bowl kitchen sinks
Material: polypropylene PP
Color: white



Code	Description	Carton	Pallet	Volume
1021EX45B0	"TEDESCO" version, single inlet	25	750	0,080




"FLEXYBON" flexible kitchen sink siphon. waste connection 1"1/2, outlet \varnothing 40/50 mm

Application: For double bowl kitchen sinks
Material: polypropylene PP
Color: white



Code	Description	Carton	Pallet	Volume
1022EX45B0	"TEDESCO" version, double	25	625	0,106




Female inlet extension pipe Conical washer

Application: to connect to the siphon


Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
1820NN54B0	1"1/4 x Ø 32 x 165 mm	50	3500	0,029
1820NN64B0	1"1/2 x Ø 40 x 230 mm	50	2400	0,048



1820NN54B0



1820NN64B0


Flanged extension with nut Flat washer

Application: to connect to the siphon


Material: polypropylene PP

Color: white


Code	Description	Carton	Pallet	Volume
1829PR26B0	1" - Ø 26 x 245 mm	5	750	0,004
1829PR32B0	1"1/4 - Ø 32 x 200 mm	5	750	0,004
1829PR40B0	1"1/2 - Ø 40 x 200 mm	5	750	0,004



1829PR26B0



1829PR32B0



1829PR40B0

Bent threaded pipe with nut and washer



Conical washer

Application: to connect to the siphon



Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
1825PP54B0	1"1/4 - Ø 32 x 210 mm	50	2400	0,048
1825PP64B0	1"1/2 - Ø 40 x 240 mm	50	2000	0,057



1825PP54B0



1825PP64B0


Universal auxiliary connection Conical washer

Application: to connect to the siphon


Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
1822AR54B0	1"1/4 x Ø 32 mm	50	3500	0,029
1822AR64B0	1"1/2 x Ø 40 mm	50	3500	0,029



1822AR54B0



1822AR64B0


Flanged universal auxiliary connection Flat washer

Application: to connect to the siphon


Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
1825AR54B0	F 1"1/4 x M 1"1/4	50	3500	0,029
1825AR64B0	F 1"1/2 x M 1"1/2	50	3500	0,029



1825AR54B0



1825AR64B0


Flanged universal auxiliary connection with smooth outlet pipe Flat washer

Application: to connect to the siphon


Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
1824AR54B0	1"1/4 x ø 32x200 mm	50	2400	0,048
1824AR64B0	1"1/2 x ø 40x200 mm	50	2000	0,057



1824AR54B0



1824AR64B0

Opposite reducer


Application: To connect the siphon to the valve

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1874NN44B0	1"1/4 male - 1" female	25	3750	0,004
1874NN54B0	1"1/2 male - 1" 1/4 female	25	3750	0,004



A=MIS	B=MIS	C=MM	Code
1"1/4	1"	28	1874NN44B0
1"1/2	1"1/4	30	1874NN54B0

Reducer


Application: To connect the siphon to the valve

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
1875NN44B0	1" male - 1"1/4 female	25	3750	0,004
1875NN64B0	1"1/4 male - 1"1/2 female	25	3750	0,004



A=MIS	B=MIS	C=MM	Code
1"	1"1/4	28	1875NN44B0
1"1/4	1"1/2	30	1875NN64B0


Catcher for \varnothing 110 mm wastes

Material: Stainless steel + ABS

Color: black + chrome-plated



Code	Description	Carton	Pallet	Volume
1970EC83B7	Handle in chrome-plated brass	N.A.	N.A.	N.A.
1970LB83B7	Handle in Stainless steel	N.A.	N.A.	N.A.



Universal gridded basketFor grid \varnothing 70 - \varnothing 80 mm


Application: For traditional kitchen sink valves

Material: polypropylene PP


Color: white



Code	Description	Carton	Pallet	Volume
1868GZ80B0	White colour	50	7500	0,004



"Fontana dell'Acqua Marcia al Campidoglio" (1900) - Roma



2

2



WASH-BASIN - BIDET


"MONSTER-ESSE" trap with side inspection

BI-POWER washers

Application: For washbasin or bidet

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2730PP32B0	Waste connection 1"1/4 outlet \varnothing 32x250 mm	25	1000	0,057


"MONSTER-ESSE" trap with rear inspection

BI-POWER washers

Application: For washbasin or bidet

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2750PP32B0	Waste connection 1"1/4 outlet \varnothing 32x250 mm	25	1000	0,057


Bottle-trap "Monster" without waste

BI-POWER washers

Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2770PP32B0	Waste connection 1"1/4 outlet \varnothing 32x250 mm	25	1000	0,057


"MONSTER-TUBULAR" pipe odour trap for

washbasinBI-POWER

Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2710PP30B0	Waste connection 1"1/4 outlet \varnothing 32x300 mm	25	750	0,080



"BAZOOKA-SPACE" space-saver trap.

For washbasin


Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2910CP32B0	Single bowl	25	750	0,080



"BAZOOKA" adjustable siphon with inspection


Application: For washbasin or bidet

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2314CP32B0	Waste connection 1"1/4 outlet ø 32x230 mm	50	625	0,106





"KING" minimal bottle trap line for wash basin. Waste connection 1"1/4, outlet pipe \varnothing 32x250 mm


Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2795SP32B0	Space-saver version	25	200	0,080



"KING" minimal bottle trap line for wash basin.

BI-POWER washers.


Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2795PP32B0	Waste connection 1"1/4, outlet pipe \varnothing 32x250 mm	25	200	0,057






MONSTER TUBULAR pipe odour trap for wash basin.

Waste connection 1"1/4, outlet pipe \varnothing 32x300 mm

Application: For washbasin

Material: polypropylene PP

Color: white




Pipe odour trap with flexible arm

BI-POWER washers

Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2710SP30B0	Space-saver version	25	200	0,080

Code	Description	Carton	Pallet	Volume
2720PP20B0	Version without waste	25	750	0,080



Bottle-trap for public urinals. Connection to ceramic \varnothing 50 mm

Application: For urinals

Material: polypropylene PP

Color: white


Code	Description	Carton	Pallet	Volume
2126CP32B0	Outlet \varnothing 32x230 mm	25	625	0,106
2126CP40B0	Outlet \varnothing 40x230 mm	25	625	0,106



2126CP32B0



2126CP40B0




TEDESCO bottle odour trap for washbasin.

BI-POWER washers

Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2630CM35B0	Special outlet pipe \varnothing 32/350 mm	50	1000	0,131


TEDESCO bottle odour trap for washbasin.

Stainless steel flange 18/10 \varnothing 65 mm, 65 mm long bolt, \varnothing 40,5 mm and plug with ring

Application: For washbasin

Material: polypropylene PP + stainless steel

Color: white / polished



Code	Description	Carton	Pallet	Volume
2634WL32B0	1"1/4 x \varnothing 32x230 mm	50	1000	0,131
2634WL40B0	1"1/4 x \varnothing 40x230 mm	50	1000	0,131


"TEDESCO" washbasin bottle odour trap.

BI-POWER washers

Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2630CP32B0	1"1/4 x \varnothing 32 mm	50	1000	0,131
2630CP40B0	1"1/4 x \varnothing 40 mm	50	1000	0,131

SIFONCELLO was born to solve the installation problems, with special attention to aesthetics beauty




"SIFONCELLO" extensible trap for wash basin and bidet. Waste connection 1"1/4 outlet \varnothing 32x230 mm

Application: For washbasin or bidet

Material: ABS + polypropylene PP

Color: Chromed plated / white

Code	Description	Carton	Pallet	Volume
28140T54B7	Metal nut, chrome-plated outlet pipe	25	1200	0,048




"SIFONCELLO" extensible trap for wash basin and bidet. Waste connection 1"1/4 outlet \varnothing 32x230 mm

Application: For washbasin or bidet

Material: ABS + polypropylene PP

Color: Chromed plated / white

Code	Description	Carton	Pallet	Volume
28140T54B0	Metal nut, white outlet pipe	25	1200	0,048



SIFONCELLO is suitable also for the column-wash basins, which have the same problems of poor manual agility.

In fact, the flexible part, once the pipe-fitting has been easily fixed to the outlet of the bidet, remains hidden in the special cavity, while the pipe which enters in the wall, is smooth and elegantly chromium-plated.




"SIFONCELLO" extensible trap for wash basin and bidet. Waste connection 1"1/4 outlet \varnothing 32x230 mm

Application: For washbasin or bidet

Material: ABS + polypropylene PP

Color: Chromed plated / white




Code	Description	Carton	Pallet	Volume
2814PP54B7	Plastic nut, chrome-plated outlet pipe	25	1200	0,048

"SIFONCELLO" extensible trap for wash basin and bidet. Waste connection 1"1/4 outlet \varnothing 32x230 mm

Application: For washbasin or bidet

Material: ABS + polypropylene PP

Color: Chromed plated / white



Code	Description	Carton	Pallet	Volume
2814PP54B0	Plastic nut, white outlet pipe	25	1200	0,048

TEDESCO bottle odour trap for washbasin.
Stainless steel flange 18/10 \varnothing 65 mm, 65 mm
long bolt, \varnothing 40,5 mm and plug with chain

Application: For washbasin

Material: Stainless steel + polypropylene PP

Color: metal



Code	Description	Carton	Pallet	Volume
2644WE32B0	Floor pipe \varnothing 32x680 mm	25	150	0,109
2644WE40B0	Floor pipe \varnothing 40x680 mm	25	150	0,109

"BAZOOKA" bottle odour trap.

BI-POWER washers


Application: For washbasin

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
2410CP26B0	Waste connection 1", plastic outlet pipe \varnothing 26x230 mm	50	1500	0,080




Drain valve Stainless steel flange 18/10 \varnothing 65 mm,
65 mm long bolt

Application: For washbasin

Material: Stainless steel + polypropylene PP

Color: metal

Code	Description	Carton	Pallet	Volume
2024WL54B0	\varnothing 40,5 mm and plug with ring	50	3500	0,029




Drain valve Stainless steel flange 18/10 \varnothing 65 mm,
65 mm long bolt

Application: For washbasin

Material: Stainless steel + polypropylene PP

Color: metal

Code	Description	Carton	Pallet	Volume
2024MG54B0	\varnothing 40,5 mm and plug with handle	50	3500	0,029



Passing-through waste for washbasin.


Welded overflow

Application: For washbasin

Material: ABS + polypropylene PP

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
2990CR70B0	Round grid \varnothing 38 mm, chrome-plated	25	1750	0,029



"Fontana di Trevi" (Niccolò Savio - 1762) - Roma

3



3



WASHING-MACHINE



THE SIPHON WITH COMPACT DIMENSIONS AND BIG WATER FLOW CAPACITY



Protection plug


"CRIOLLO" concealed trap for washing machine or dish washer Weldable to PEHD pipes


Application: For washing machine or dishwasher

Material: PEHD + ABS

Color: black / white / chrome-plated

Code	Description	Carton	Pallet	Volume
3200IX50B9	Plate and accessories in stainless steel	25	750	0,080
3200CR50B9	Plate and accessories in plastic ABS chrome-plated	25	750	0,080
3200EC50B9	Plate and accessories in white plastic	25	750	0,080







"COMPACT" concealed trap for washing machine or dish washer. Weldable to PEHD pipes

Application: For washing machine or dishwasher

Material: PEHD + ABS

Color: black / white / chrome-plated


Code	Description	Carton	Pallet	Volume
3400IX40B9	Plate and accessories in stainless steel	25	1000	0,057
3400CR40B9	Plate and accessories in plastic ABS chrome-plated	25	1000	0,057
3400EC40B9	Plate and accessories in white plastic	25	1000	0,057



COMPACT

SIPHON-SYSTEM FOR WASHING-MACHINE

25
ANNI YEARS
GARANZIA
GUARANTEE



The joint with bell and washer has to stay inside the box



The possibility to easily take out the trap from its housing

"COMPACT" concealed trap for washing machine or dishwasher. Weldable to PEHD pipes, with extractable siphon and PVC pipe

Application: For washing machine or dishwasher

Material: PEHD + PVC + ABS

Color: black / white / chrome-plated


Code	Description	Carton	Pallet	Volume
3445CR40B9	Plate and accessories in plastic ABS chrome-plated	25	625	0,106
3445EC40B9	Plate and accessories in white plastic	25	625	0,106



3445CR40B9



3445EC40B9



COMPACT




"COMPACT" concealed trap for washing machine or dishwasher. Weldable to PEHD pipes, with extractable siphon

Application: For washing machine or dishwasher

Material: PEHD + ABS

Color: black / white / chrome-plated




Code	Description	Carton	Pallet	Volume
3435CR40B9	Plate and accessories in plastic ABS chrome-plated	25	625	0,106
3435EC40B9	Plate and accessories in white plastic	25	625	0,106

"COMPACT" concealed trap for washing machine or dishwasher. To be glued to PVC pipes


Application: For washing machine or dishwasher


Material: PVC + ABS

Color: grey / white / chrome-plated



Code	Description	Carton	Pallet	Volume
3110CR40B2	Plate and accessories in plastic ABS chrome-plated	25	1000	0,057
3110GZ40B2	Plate and accessories in white plastic	25	1000	0,057






"DOUBLE GO" double outlet connection for washing-machine or dishwasher. Threaded outlet 1"

Application: For washing machine or dishwasher

Material: ABS

Color: white

Code	Description	Carton	Pallet	Volume
3590GZ24B0	White version	25	1750	0,029



STYLING rosette in ABS



Inspection plug



O-ring inspection cap



STYLING floating ball



STYLING siphon body



"STYLING" external valve siphon Outlet \varnothing 32 mm

Application: For washing machine or dishwasher

Material: ABS

Color: Chromed plated / white


Code	Description	Carton	Pallet	Volume
3530CR32B7	Chrome-plated	50	3500	0,029
3530GZ32B0	White version	50	3500	0,029




3530CR32K7



3530GZ32B0





Self-cleaning wall trap for washing-machine with increased section.

"BOA" concealed trap for wash basin, outlet to weld or to plug in $\varnothing 40 + 50$ mm


Application: For washbasin

Material: PEHD + ABS

Color: black



Code	Description	Carton	Pallet	Volume
3360CR50B9	1"1/4 connection, ABS chrome-plated pipes	25	625	0,106



"BOA" concealed trap for wash basin, outlet to weld or to plug in $\varnothing 40 + 50$ mm


Application: For washbasin

Material: PEHD + ABS

Color: black



Code	Description	Carton	Pallet	Volume
3380GZ50B9	1"1/4 connection, white cover	25	625	0,106



WALL TRAP FOR URINAL



3.8




In wall trap for "URINAL" purpose, Version with one outlet diameter only \varnothing 50 mm

Application: for urinal

Material: polypropylene PP

Color: grey

Code	Description	Carton	Pallet	Volume
3890GZ50B2	Horizontal outlet solution	25	750	0,080




In wall trap for "URINAL" purpose. Version with one outlet diameter only \varnothing 50 mm

Application: for urinal

Material: polypropylene PP

Color: grey

Code	Description	Carton	Pallet	Volume
3880GZ50B2	vertical outlet solution	25	750	0,080



Extensible universal outlet pipe for washing machine.

Flexible and extensible


Application: For washing machine or dishwasher

Material: polypropylene PP

Color: grey



Code	Description	Carton	Pallet	Volume
3120FX20B2	Length from 1 m to 2,20 m	50	1250	0,106



Bent connection nozzle Threaded nut 1"

Application: For washing machine or dishwasher

Material: polypropylene PP / ABS

Color: white / chrome-plated




3920CR44B7



3920EC44B0

Code	Description	Carton	Pallet	Volume
3920CR44B7	Chrome plated versione	25	3750	0,004
3920EC44B0	White version	25	3750	0,004




Threaded extension


Application: For washing machine or dishwasher

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
3930EC44B0	With 1" thread nut	25	3750	0,004



Connection nozzle for tanks


Application: For tanks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
3970EC34B0	Nut 3/4"	25	3750	0,004



"Fontana dell'Acqua Marcia" (1880) - Milano, Viale Picceno



4



4



BATH-TUB

**PLUG AND HANDLE
IN CHROMIUM-PLATED ABS!**



"EXTENSA" pop-up bath tub drainOutlet


1"1/2, Flexible welded overflow

Application: For bath tub

Material: polypropylene PP + ABS

Color: white / chrome-plated

Code	Description	Conf.	Pallet	Volume
4020AB50K7	Handle and plug in chrome-plated ABS	20	500	0,106



"EXTENSA" pop-up bath tub drain. Odour


trap outlet \varnothing 50 mm, Flexible welded overflow

Application: For bath tub

Material: polypropylene PP + ABS

Color: white / chrome-plated

Code	Description	Conf.	Pallet	Volume
4028AB50S7	Handle and plug in chrome-plated ABS, with ultra-low trap	20	340	0,160



PLUG AND HANDLE IN CHROMIUM-PLATED BRASS!



"EXTENSA" pop-up bath tub drainOutlet 1"1/2,


Flexible welded overflow

Application: For bath tub

Material: polypropylene PP + brass

Color: white / chrome-plated

Code	Description	Conf.	Pallet	Volume
4020OT50K7	Handle and plug in chrome-plated brass	20	500	0,106



"EXTENSA" pop-up bath tub drain. Odour trap


outlet ø 50 mm, Flexible welded overflow

Application: For bath tub

Material: polypropylene PP + brass

Color: white / chrome-plated

Code	Description	Conf.	Pallet	Volume
4028OT50S7	Handle and plug in chrome-plated brass	20	340	0,160





No more troubles caused by misfunctions cables!



Plug with opening and closing spring device



**QUALITY AND ELEGANCE
EVIDENCED WITH BEAUTY ON
THE PRACTICAL EXHIBITORS**


"EXTREME" bath tub column with lockable drain. Outlet 1"1/2, Flexible welded overflow

Application: For bath tub

Material: polypropylene PP + brass

Color: white / chrome-plated

Code	Description	Conf.	Pallet	Volume
40400T50S7	Overflow cover and plug in chrome-plated brass	20	500	0,106




"EXTREME" bath tub column with lockable drain. Odour trap outlet \varnothing 50 mm, Flexible welded overflow

Application: For bath tub

Material: polypropylene PP + brass

Color: white / chrome-plated

Code	Description	Conf.	Pallet	Volume
40480T50S7	Overflow cover and plug in chrome-plated brass	20	340	0,160





FLEXIBILITY & EXTENSIBILITY

The connection pipe stamped in one piece only, is flexible and extensible, and allows to solve any problem of lack of inclination between the waste and the overflow, without the use of any washers and joints.



"EXTENSINA" bath tub drain with traditional plug with chainPlug \varnothing 45,5 mm, chain length 45 cm

Application: For bath tub

Material: polypropylene PP + Stainless steel 18/8

Color: white

Code	Description	Conf.	Pallet	Volume
4140EX64B0	Without odour trap	20	420	0,039




"EXTENSINA" bath tub drain with traditional plug with chainPlug \varnothing 45,5 mm, chain length 45 cm

Application: For bath tub

Material: polypropylene PP + Stainless steel 18/8

Color: white

Code	Description	Conf.	Pallet	Volume
4149EX64B0	Odour trap with threaded outlet \varnothing 40 mm	20	240	0,044



WASTES FOR BATH TUB COLUMNS



Adjustable low trap for bath columns. Outlet
 \varnothing 40 - 50 mm to weld or to plug in

Application: To be connected with the bath tub drain

Material: PEHD + brass

Color: black



Code	Description	Carton	Pallet	Volume
4500OT64B9	Brass 1"1/2 threaded nut	20	420	0,039
4500PP64B9	Plastic 1"1/2 threaded nut	20	420	0,039



4500OT64B9



4500PP64B9



Adjustable low trap for bath columns.

Threaded outlet 1" 1/2 - \varnothing 40 mm

Application: To be connected with the
bath tub drain

Material: polypropylene PP + brass

Color: white



Code	Description	Carton	Pallet	Volume
4510OT64B0	Brass 1"1/2 threaded nut	20	420	0,039
4510PP64B0	Plastic 1"1/2 threaded nut	20	420	0,039



4510OT64B9



4510PP64B9




Self-cleaning trap, one piece only without
welds BI-POWER washers

Application: To be connected with the bath
tub drain

Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
4110PP64B0	Connection with plastic nut 1"1/2, threaded outlet 1" 1/2 - \varnothing 40 mm	20	420	0,039



"Terme Romane di Venturina" - Campiglia Marittima (LI)



5



SHOWER TRAY



"DOCCIONE" trap for shower plates with hole \varnothing 90 mm.

Outlet \varnothing 40-50 mm to insert, wet siphon


Application: For shower plates with hole \varnothing 90 mm

Material: polypropylene PP + ABS

Color: white / chrome-plated



Code	Description	Carton	Pallet	Volume
5280AB12B7	Cover in chrome-plated ABS \varnothing 120 mm	25	200	0,106
5280IX12B7	Cover in ABS covered with stainless steel \varnothing 120 mm	25	200	0,106



"DOCCIONE" trap for shower plates with hole \varnothing 90 mm.

Threaded outlet 1"1/2 with nut, wet siphon


Application: For shower plates with hole \varnothing 90 mm

Material: polypropylene PP + ABS

Color: white / chrome-plated



Code	Description	Carton	Pallet	Volume
5290AB12B7	Cover in chrome-plated ABS \varnothing 120 mm	25	200	0,106
5290IX12B7	Cover in ABS covered with stainless steel \varnothing 120 mm	25	200	0,106



DOCCIONE




"DOCCIONE" trap for shower plates with hole \varnothing 90 mm
Vertical outlet \varnothing 50 mm, dry siphon

Application: For shower plates with hole \varnothing 90 mm

Material: polypropylene PP + ABS

Color: white / chrome-plated

Code	Description	Carton	Pallet	Volume
5270AB12B7	Cover in chrome-plated ABS \varnothing 120 mm	25	200	0,106
5270IX12B7	Cover in ABS covered with stainless steel \varnothing 120 mm	25	200	0,106



"DOCCIONE" trap for shower plates with hole \varnothing 90 mm
Without cover, wet siphon

Application: For shower plates with hole \varnothing 90 mm

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
5280ST12B7	Outlet \varnothing 40-50 mm to insert	25	200	0,106
5290ST12B7	Threaded outlet 1"1/2 with nut	25	200	0,106



5280ST12B7



5290ST12B7






"LYONNAISE" drain for ultra low shower trays, wet siphon model. Removable rubber siphon and filter

Application: For ultra low shower trays

Material: polypropylene PP + ABS


Color: black / chrome-plated

Code	Description	Carton	Pallet	Volume
5220CR40S7	Cover in chrome-plated ABS ø 120 mm, outlet ø 40 mm, Height 45 mm	20	340	0,116
5220CR50S7	Cover in chrome-plated ABS ø 120 mm, outlet ø 50 mm, Height 57 mm	20	340	0,116
5220IX40S7	ABS cap covered in stainless steel ø 120 mm, outlet ø 40 mm, Height 45 mm	20	340	0,116
5220IX50S7	ABS cap covered in stainless steel ø 120 mm, outlet ø 50 mm, Height 57 mm	20	340	0,116



5220CR40S7 - 5220IX40S7

5220CR50S7 - 5220IX50S7




"SAVOISIENNE" drain for ultra low shower trays,
dry siphon model. Non-return-valve in silicone

Application: For ultra low shower trays


Material: ABS

Color: black

Code	Description	Carton	Pallet	Volume
5230CR40S7	Cover in chrome-plated ABS Ø 120 mm, outlet Ø 40 mm, Height 45 mm	20	340	0,116
5230CR50S7	Cover in chrome-plated ABS Ø 120 mm, outlet Ø 50 mm, Height 57 mm	20	340	0,116
5230IX40S7	ABS cap covered in stainless steel Ø 120 mm, outlet Ø 40 mm, Height 45 mm	20	340	0,116
5230IX50S7	ABS cap covered in stainless steel Ø 120 mm, outlet Ø 50 mm, Height 57 mm	20	340	0,116




5230CR40S7 - 5230IX40S7



5230CR50S7 - 5230IX50S7

SPLASH

TRAPPED FLOOR GULLY FOR SHOWER PLATE



"SPLASH" flanged odour trap for shower.

Flanged waste \varnothing 80 mm, in brass


Application: For shower plates with hole \varnothing 60 mm

Material: PEHD + brass

Color: black / chrome-plated



Code	Description	Carton	Pallet	Volume
5480CR80B9	Outlet \varnothing 40-50 mm to weld or to insert	25	750	0,080



"SPLASH" flanged odour trap for shower.

Flanged waste \varnothing 80 mm, in brass


Application: For shower plates with hole \varnothing 60 mm

Material: polypropylene PP + brass

Color: black / chrome-plated



Code	Description	Carton	Pallet	Volume
5490CR80B0	Threaded outlet 1"1/2	25	750	0,080




"SPLASH" flanged odour trap for shower

Flanged waste \varnothing 80 mm, in brass

Application: For shower plates with hole \varnothing 60 mm

Material: PVC + brass

Color: grey / chrome-plated



Code	Description	Carton	Pallet	Volume
5470CR80B2	Outlet \varnothing 40-50 mm	25	750	0,080


"SPLASH" flanged odour trap for shower

Flanged waste \varnothing 80 mm, chrome-plated cover

Application: For shower plates with hole \varnothing 60 mm

Material: PEHD + ABS

Color: black / chrome-plated



Code	Description	Carton	Pallet	Volume
5484CR80B9	Outlet \varnothing 40-50 mm to weld or to insert	25	750	0,080


"SPLASH" flanged odour trap for shower

Flanged waste \varnothing 80 mm, chrome-plated cover

Application: For shower plates with hole \varnothing 60 mm

Material: polypropylene PP + ABS

Color: white / chrome-plated



Code	Description	Carton	Pallet	Volume
5494CR80B0	Threaded outlet 1" 1/2	25	750	0,080

Nautilus

THE NEW MORE PRACTICAL
AND VERSATILE SHOWER DRAIN



GREATER ADVANTAGES:

Longer drain for pipe connection outside the tray
Waste with bigger 2" thread
Reduced height while complying with Norm EN-274 as regards to 50 mm water seal trap
Removable siphon with a greater drain capacity due to its bigger 2" waste

"NAUTILUS" extended shower tray waste With removable siphon compliant to EN-274, height reduced to 64 mm, stainless steel dome \varnothing 83 mm

Application: For shower plates with hole \varnothing 60 mm

Material: polypropylene PP + Stainless steel

Color: white / chrome-plated



Code	Description	Carton	Pallet	Volume
5780CR80B0	Extended drainpipe \varnothing 40-50 mm	25	750	0,080




1 Extended drainpipe for connection outside the tray

2 Stainless steel dome

3 Fully removable and dismantable siphon

4 Extremely reduced height: only 64 mm below the shower tray compliant to EN-274: 50 mm water seal trap




"FRANCESINO" shower tray drain With removable siphon according to EN-274, height reduced to 65 mm, Cover in chrome-plated ABS \varnothing 83 mm

Application: For shower plates with hole \varnothing 60 mm

Material: polypropylene PP + ABS

Color: grey / chrome-plated




Code	Description	Carton	Pallet	Volume
5880CR80B2	Outlet \varnothing 40 mm	25	1200	0,048

"FRANCESINO" shower tray drain With removable siphon according to EN-274, height reduced to 65 mm, Cover in chrome-plated ABS \varnothing 83 mm

Application: For shower plates with hole \varnothing 60 mm

Material: polypropylene PP + ABS

Color: grey / chrome-plated




Code	Description	Carton	Pallet	Volume
5890CR80B2	Threaded outlet 1"1/2 - \varnothing 40 mm	25	1200	0,048

Adjustable low trap for shower plates Inox grid \varnothing 80 mm

Application: For shower plates with hole \varnothing 60 mm

Material: PEHD + Stainless steel

Color: black / polished




Code	Description	Carton	Pallet	Volume
5120NC80B9	Outlet to weld or to insert \varnothing 40-50 mm	25	1000	0,057

Adjustable low trap for shower plates Inox grid \varnothing 80 mm

Application: For shower plates with hole \varnothing 60 mm

Material: polypropylene PP + Stainless steel

Color: white / polished




Code	Description	Carton	Pallet	Volume
5123NC80B0	Threaded outlet 1"1/2 - \varnothing 40 mm	25	1000	0,057

"IMALAIA" flexible and extensible shower drain
Stainless steel grid \varnothing 80 mm, with \varnothing 52 mm plug

Application: For shower plates with hole \varnothing 60 mm

Material: polypropylene PP + Stainless steel

Color: white / polished




Code	Description	Carton	Pallet	Volume
5830MG80B0	90° outlet \varnothing 50 mm	65	1300	0,131

"IMALAIA" flexible and extensible shower drain
Stainless steel grid \varnothing 80 mm, with \varnothing 52 mm plug

Application: For shower plates with hole \varnothing 60 mm

Material: polypropylene PP + Stainless steel

Color: white / polished




Code	Description	Carton	Pallet	Volume
5941MG80B0	Straight outlet \varnothing 40-50 mm	65	1300	0,131

Piletta simplex 1"1/2 per piatti in lamiera di acciaio.

Applicazione: per piatti doccia con foro \varnothing 50 mm

Material: polypropylene PP + Stainless steel

Color: white / polished



Code	Description	Carton	Pallet	Volume
5964NC70B0	Deep inox grid \varnothing 70 - 45,5 mm with side outlet	100	4800	0,048


Simplex waste for shower plates in stainless steel

Bi-Power washers

Application: For shower plates with hole \varnothing 50 mm

Material: polypropylene PP+Stainless steel

Color: white / polished



Code	Description	Carton	Pallet	Volume
5965NC70B0	Deep inox grid \varnothing 70 - 45,5 mm with side outlet	100	3000	0,080

"Fontana dell'Acqua Marcia" (1900) - Roma, Via Nomentana



6



FLOOR DRAIN

CANALISSIMA

6.1

Canalissima is aimed to the designers and to everybody who are going to realize a bathroom in line with the modern styles, with minimal but elegant design, and at the same time functional and technically avant-garde.



THE TECHNIQUE

The visible parts, frame and cover of the Canalissima, are made in stainless steel, while the body of the floor conduit, the siphon and the outlet waste are made in plastic.


The body of the floor conduit has a perimeter flange with a glued waterproofing sheet; could place more sheets during the installation in order to obtain a complete and safe proofing, and easy realization.

In addition the waste has a PVC disk, on which directly glue a waterproofing sheet in PVC; in this way the level of proofing is made under the insoil, or just to allow a double waterproofing; both under the tiles and under the insoil.

The special feet adjustable in height, make easy the leveling of the product during its installation.

Canalissima is one of the thinnest floor conduit currently available in the market, and this feature gives the product an elegant design.


The water capacity of the Bonomini products is tested on a certified test desk.



* con SIPHON MINI DRAIN
min. 75 mm - max 120 mm
con SIPHON SOGLIOLA
min. 85 mm - max 120 mm

LEGEND:


- 1 Metal cover
- 2 Metal frame
- 3 Filter
- 4 Fishing device
- 5 O-ring for fishing device
- 6 Double sided adhesive
- 7 Body of the floor conduit
- 8 Stabilizing bases
- 9 Screws to regulate the waste
- 10 Supports
- 11 Screws for micrometric regulation
- 12 Allen key
- 13 Siphon Mini-Drain
- 14 Low bowl, water column: 30 mm
- 15 Gommone
- 16 Siphon Sogliola
- 17 Waterproofing sheet





CAMOUFLAGED DRAIN

Double Face grid mounted with the tile glued to the inside of the grid. The drain is almost INVISIBLE.



Rotating the Double Face grid side to change the aesthetic effect.



In this view Double Face grid's polished aluminium side is mounted.



The particular section "U" of the cover allows the tiling. Thus the esthetic result obtained, is surprising in that the discharge point of the shower is completely camouflaged in the floor of the bathroom.

CANALISSIMA STAINLESS STEEL VERSIONE Double face

25
ANNI YEARS
GARANZIA
GUARANTEE

6.4



«CANALISSIMA» shower and floor channel.
"DOUBLE FACE" adjustable full stainless steel
AISI316 tileable grid


Application: For shower and floor drains

Material: metal + ABS


Color: satinated / black

Code	Description	Carton	Pallet	Volume
6825AC60S	Lateral drain L 60 cm	1	60	0,010
6825AC70S	Lateral drain L 70 cm	1	60	0,010
6825AC80S	Lateral drain L 80 cm	1	60	0,010
6825AC90S	Lateral drain L 90 cm	1	60	0,010
6825AC100S	Lateral drain L 100 cm	1	60	0,013
6825AC110S	Lateral drain L 110 cm	1	60	0,013
6825AC120S	Lateral drain L 120 cm	1	60	0,013

Tile adhesive



CANALISSIMA ALUMINUM VERSION Double face



"CANALISSIMA" shower and floor channel.
"DOUBLE FACE" adjustable full aluminium tileable
grid

Application: For shower and floor drains


Material: aluminum + ABS

Color: satin / black

Tile adhesive



Code	Description	Carton	Pallet	Volume
6825AL60S	Lateral drain L 60 cm	1	60	0,010
6825AL70S	Lateral drain L 70 cm	1	60	0,010
6825AL80S	Lateral drain L 80 cm	1	60	0,010
6825AL90S	Lateral drain L 90 cm	1	60	0,010
6825AL100S	Lateral drain L 100 cm	1	60	0,013
6825AL110S	Lateral drain L 110 cm	1	60	0,013
6825AL120S	Lateral drain L 120 cm	1	60	0,013






"CANALISSIMA" shower and floor channel.
"MIXAGE" adjustable tileable grid with ABS frame
and stainless steel AISI316 insert
Application: For shower and floor drains
Material: Stainless steel AISI316 + PMMA
Color: satin / transparent

Tile adhesive



Code	Description	Carton	Pallet	Volume
6825MX60S	Lateral drain L 60 cm	1	60	0,010
6825MX70S	Lateral drain L 70 cm	1	60	0,010
6825MX80S	Lateral drain L 80 cm	1	60	0,010
6825MX90S	Lateral drain L 90 cm	1	60	0,010
6825MX100S	Lateral drain L 100 cm	1	60	0,013
6825MX110S	Lateral drain L 110 cm	1	60	0,013
6825MX120S	Lateral drain L 120 cm	1	60	0,013



CANALISSIMA MICRA



Canalissima is aimed to the designers and to everybody who are going to realize a bathroom in line with the modern styles, with minimal but elegant design, and at the same time functional and technically avant-garde.



THE TECHNIQUE

The visible parts, frame and cover of the Canalissima, are made in stainless steel, while the body of the floor conduit, the siphon and the outlet waste are made in plastic.


The body of the floor conduit has a perimeter flange with a glued waterproofing sheet; could place more sheets during the installation in order to obtain a complete and safe proofing, and easy realization.

In addition the waste has a PVC disk, on which directly glue a waterproofing sheet in PVC; in this way the level of proofing is made under the insoil, or just to allow a double waterproofing; both under the tiles and under the insoil.

The special feet adjustable in height, make easy the leveling of the product during its installation.


Canalissima is one of the thinnest floor conduit currently available in the market, and this feature gives the product an elegant design.

The water capacity of the Bonomini products is tested on a certified test desk.



LEGEND:

- 1 Metal cover
- 2 Metal frame
- 3 Filter
- 4 Fishing device
- 5 O-ring for fishing device
- 6 Double sided adhesive
- 7 Body of the floor conduit
- 8 Stabilizing bases
- 9 Screws to regulate the waste
- 10 Supports
- 11 Screws for micrometric regulation
- 12 Allen key
- 13 Siphon Mini-Drain
- 14 Low bowl, water column: 30 mm
- 15 Gommone
- 16 Siphon Sogliola
- 17 Waterproofing sheet




Supplied separately



CAMOUFLAGED DRAIN

Double Face grid mounted with the tile glued to the inside of the grid. The drain is almost INVISIBLE.



Rotating the Double Face grid side to change the aesthetic effect.



In this view Double Face grid's polished aluminium side is mounted.




The particular section "U" of the cover allows the tiling. Thus the esthetic result obtained, is surprising in that the discharge point of the shower is completely camouflaged in the floor of the bathroom.

CANALISSIMA STAINLESS STEEL VERSION Double face




6.10



«CANALISSIMA» shower and floor channel.
"DOUBLE FACE" adjustable full stainless steel
AISI316 tileable grid
Application: For shower and floor drains
Material: metal + ABS
Color: satinated / black

Code	Description	Carton	Pallet	Volume
6895AC20S	Central drain L 20 cm	1	84	0,009
6895AC30S	Central drain L 30 cm	1	84	0,009
6895AC40S	Central drain L 40 cm	1	84	0,009
6895AC50S	Central drain L 50 cm	1	84	0,009
6895AC60S	Central drain L 60 cm	1	60	0,010
6895AC70S	Central drain L 70 cm	1	60	0,010
6895AC80S	Central drain L 80 cm	1	60	0,010
6895AC90S	Central drain L 90 cm	1	60	0,010
6895AC100S	Central drain L 100 cm	1	60	0,013

Tile adhesive



CANALISSIMA ALUMINUM VERSION Double face



"CANALISSIMA" shower and floor channel.
"DOUBLE FACE" adjustable full aluminium tileable
grid

Application: For shower and floor drains


Material: aluminum + ABS

Color: satin / black

Tile adhesive



Code	Description	Carton	Pallet	Volume
6895AL20S	Central drain L 20 cm	1	84	0,009
6895AL30S	Central drain L 30 cm	1	84	0,009
6895AL40S	Central drain L 40 cm	1	84	0,009
6895AL50S	Central drain L 50 cm	1	84	0,009
6895AL60S	Central drain L 60 cm	1	60	0,010
6895AL70S	Central drain L 70 cm	1	60	0,010
6895AL80S	Central drain L 80 cm	1	60	0,010
6895AL90S	Central drain L 90 cm	1	60	0,010
6895AL100S	Central drain L 100 cm	1	60	0,013






"CANALISSIMA" shower and floor channel.
"MIXAGE" adjustable tileable grid with ABS frame
and stainless steel AISI316 insert
Application: For shower and floor drains
Material: Stainless steel AISI316 + PMMA
Color: satin / transparent

Tile adhesive




**STAINLESS STEEL
AISI316**
PMMA TRANSPARENT


Code	Description	Carton	Pallet	Volume
6895MX20S	Central drain L 20 cm	1	84	0,009
6895MX30S	Central drain L 30 cm	1	84	0,009
6895MX40S	Central drain L 40 cm	1	84	0,009
6895MX50S	Central drain L 50 cm	1	84	0,009
6895MX60S	Central drain L 60 cm	1	60	0,010
6895MX70S	Central drain L 70 cm	1	60	0,010
6895MX80S	Central drain L 80 cm	1	60	0,010
6895MX90S	Central drain L 90 cm	1	60	0,010
6895MX100S	Central drain L 100 cm	1	60	0,013



CANALISSIMA VERTICAL MIXAGE KIT Double face



Non-return valve in normally closed position, with no water flow. The perfect closing of the valve's stops the return of bad smells into the house.



Non-return valve in open position, with water flow. The membrane of the valve has a really high sensibility that allows even the minimum water flow. In addition the discharge is higher compared to a traditional siphon, that is however subject to the phenomenon of water evaporation, and consequently to the passage of bad smells.

"CANALISSIMA" canaletta doccia per scarico pavimento. "MIXAGE" adjustable tileable grid with ABS frame and stainless steel AISI316 insert, including vertical connection and anti-smell valve

Application: For shower and floor drains

Material: Stainless steel AISI316 + PMMA

Color: satin / transparent

Tile adhesive




STAINLESS STEEL AISI316

PMMA TRANSPARENT



Code	Description	Carton	Pallet	Volume
6825VX20S	Central drain L 20 cm	1	84	0,009
6825VX30S	Central drain L 30 cm	1	84	0,009
6825VX40S	Central drain L 40 cm	1	84	0,009
6825VX50S	Central drain L 50 cm	1	84	0,009
6825VX60S	Central drain L 60 cm	1	60	0,010
6825VX70S	Central drain L 70 cm	1	60	0,010
6825VX80S	Central drain L 80 cm	1	60	0,010
6825VX90S	Central drain L 90 cm	1	60	0,010
6825VX100S	Central drain L 100 cm	1	60	0,013



CANALISSIMA HORIZONTAL MIXAGE KIT



"CANALISSIMA" shower and floor channel. "MIXAGE" adjustable tileable grid with ABS frame and stainless steel AISI316 insert, including "SOGLIOLA" trap, vertical outlet and waterproof material

Application: For shower and floor drains


Material: Stainless steel AISI316 + PMMA

Color: satin / transparent


Tile adhesive



STAINLESS STEEL AISI316
PMMA TRANSPARENT



Code	Description	Carton	Pallet	Volume
6825KX20S	Central drain L 20 cm	1	84	0,009
6825KX30S	Central drain L 30 cm	1	84	0,009
6825KX40S	Central drain L 40 cm	1	84	0,009
6825KX50S	Central drain L 50 cm	1	84	0,010
6825KX60S	Central drain L 60 cm	1	60	0,010
6825KX70S	Central drain L 70 cm	1	60	0,010
6825KX80S	Central drain L 80 cm	1	60	0,010
6825KX90S	Central drain L 90 cm	1	60	0,013
6825KX100S	Central drain L 100 cm	1	60	0,013



"CANALISSIMA" shower and floor channel. "MIXAGE" adjustable tileable grid with ABS frame and stainless steel AISI316 insert, including "SOGLIOLA" trap, vertical outlet and waterproof material

Application: For shower and floor drains

Material: Stainless steel AISI316 + PMMA


Color: satin / transparent

Tile adhesive






STAINLESS STEEL AISI316

PMMA TRANSPARENT



Code	Description	Carton	Pallet	Volume
6825HX20S	Central drain L 20 cm	1	84	0,009
6825HX30S	Central drain L 30 cm	1	84	0,009
6825HX40S	Central drain L 40 cm	1	84	0,009
6825HX50S	Central drain L 50 cm	1	84	0,010
6825HX60S	Central drain L 60 cm	1	60	0,010
6825HX70S	Central drain L 70 cm	1	60	0,010
6825HX80S	Central drain L 80 cm	1	60	0,010
6825HX90S	Central drain L 90 cm	1	60	0,013
6825HX100S	Central drain L 100 cm	1	60	0,013





The component parts of the CANALISSIMA modular system are such as to make possible any solution, thereby giving free rein to the creativity of architects and designers. Furthermore, the possibility of creating a "square" channel, like that shown above in the illustration, permits eliminating the need for drainage gradients!

CANALISSIMA CONTINUOUS CHANNEL




"CANALISSIMA" continous channel version.
"DOUBLE FACE" adjustable full aluminium tileable grid

Application: For shower and floor drains

Material: aluminum + ABS

Color: satin / black

Tile adhesive



Code	Description	Carton	Pallet	Volume
6835AL60S	Lateral drain L 60 cm	1	60	0,010
6835AL70S	Lateral drain L 70 cm	1	60	0,010
6835AL80S	Lateral drain L 80 cm	1	60	0,010
6835AL90S	Lateral drain L 90 cm	1	60	0,010
6835AL100S	Lateral drain L 100 cm	1	60	0,010
6835AL110S	Lateral drain L 110 cm	1	60	0,013
6835AL120S	Lateral drain L 120 cm	1	60	0,013


"CANALISSIMA" continous channel version.
"MIXAGE" adjustable tileable grid with ABS frame and stainless steel AISI316 insert

Application: For shower and floor drains

Material: Stainless steel AISI316 + PMMA

Color: satin / transparent


Tile adhesive



Code	Description	Carton	Pallet	Volume
6835MX60S	Lateral drain L 60 cm	1	60	0,010
6835MX70S	Lateral drain L 70 cm	1	60	0,010
6835MX80S	Lateral drain L 80 cm	1	60	0,010
6835MX90S	Lateral drain L 90 cm	1	60	0,010
6835MX100S	Lateral drain L 100 cm	1	60	0,010
6835MX110S	Lateral drain L 110 cm	1	60	0,013
6835MX120S	Lateral drain L 120 cm	1	60	0,013



After verifying the surface cleaning, possibly using specific detergent, glue the component (or components) with the end of the channel / and apply suitable amount of adhesive specific for ABS, for example TANGIT XY, on the free end of the channel / s. This must be done by a professional and experienced.



After you have paired the elements to be glued, use bench clamps to maintain a suitable pressure on the areas of bonding as illustrated in figure. Keep the clamps until the complete drying of the adhesive according to the glue manufacturer. This is important to obtain a properly aligned assembly of the various components, especially in the case of very long sections of several channels.


"CANALISSIMA" closing cap.

Application: For continuous channel version

Material: ABS

Color: black

Code	Description	Carton	Pallet	Volume
6830AB05S	glueable	N.A.	N.A.	N.A.



Bridge for "CANALISSIMA". With tileable grid 10 cm long

Application: For continuous channel version

Material: aluminum / Stainless steel AISI316 / ABS

Color: satin / black


Code	Description	Carton	Pallet	Volume
6835AL10S	Aluminium grid	N.A.	N.A.	N.A.
6835MX10S	"MIXAGE" grid	N.A.	N.A.	N.A.



6835AL10S



6835MX10S



90° corner for "CANALISSIMA". With tileable grid 10 x 10 cm

Application: For continuous channel version

Material: aluminum / Stainless steel AISI316 / ABS

Color: satin / black


Code	Description	Carton	Pallet	Volume
6835AL09S	Aluminium grid	N.A.	N.A.	N.A.
6835MX09S	"MIXAGE" grid	N.A.	N.A.	N.A.



6835AL09S



6835MX09S






Image shows the small vertical dimensions of trapped floor MINI -DRAIN

"MINI-DRAIN" very low floor odour trap, glueable to the waterproof layer, version for "CANALISSIMA". With chemicals and temperature resistant silicon water container

Application: To use with thin slabs

Material: ABS + silicon

Color: black / green



Code	Description	Carton	Pallet	Volume
6314PV40S2	Outlet \varnothing 40 mm, H 45 mm	1	172	0,160
6314PV50S2	Outlet \varnothing 50 mm, H 57 mm	1	172	0,160



6314PV40S2



6314PV50S2





"SOGLIOLA" flat odour trap for floor drains. With sealing O-ring

Application: To use with thin slabs


Material: ABS

Color: grey

Code	Description	Carton	Pallet	Volume
6770EC40B2	Outlet \varnothing 40 mm, H 55 mm	1	N.A.	N.A.
6770EC50B2	Outlet \varnothing 50 mm, H 75 mm	1	N.A.	N.A.




6314PV40S2



*Siphon water column: from around 10 mm to 20 mm (it depends on the depth of hose insertion)




6314PV50S2




water column: 25 mm

*Siphon water column: from around 25 mm to 40 mm (it depends on the depth of hose insertion)

NON-RETURN VALVE for CANALISSIMA



Non-return valve in normally closed position, with no water flow. The perfect closing of the valve's stops the return of bad smells into the house.



Non-return valve in open position, with water flow. The membrane of the valve has a really high sensibility that allows even the minimum water flow. In addition the discharge is higher compared to a traditional siphon, that is however subject to the phenomenon of water evaporation, and consequently to the passage of bad smells.

Mechanical odour trap in silicone for "CANALISSIMA". Suitable for very cold (ice) or very hot (evaporation) weathers


Application: for "CANALISSIMA"

Material: ABS + silicon


Color: black / green



Code	Description	Carton	Pallet	Volume
6822AR85B4	Dry odour trap	N.A.	N.A.	N.A.



EASY TO INSTALL



VERTICALE OUTLET for CANALISSIMA





Vertical reducer for "CANALISSIMA". To connect the shower channel to vertical drain pipes

Application: for "CANALISSIMA"

Material: ABS

Color: black

Code	Description	Carton	Pallet	Volume
6990AB50B2	Outlet \varnothing 50 mm, H 69 mm	N.A.	N.A.	N.A.




Flanged reducer. To be connected to "SOGLIOLA" or "MINI-DRAIN"

Material: polypropylene PP

Color: grey

Code	Description	Carton	Pallet	Volume
6980PP50B2	Inlet \varnothing 50 mm, outlet \varnothing 40 mm	N.A.	N.A.	N.A.




"GOMMONE" universal soft washer. Scarico \varnothing 110 mm

Application: For Bonomini items

Material: TPE

Color: black

Code	Description	Carton	Pallet	Volume
GU3926	Hole \varnothing 90 mm	1	N.A.	N.A.



WATERPROOFING ADHESIVE SHEET



Waterproofing adhesive sheet. In coil


Application: To waterproof the slab

Material: Woven-non-woven

Color: grey




* Exclusively laying in a horizontal position



Code	H	L
6822AD2033C	33 cm	3000 cm
6822AD5010C	10 cm	500 cm

Code	Description	Carton	Pallet	Volume
6822AD2033C	33x3000 cm	N.A.	N.A.	N.A.
6822AD5010C	10x500 cm	N.A.	N.A.	N.A.




Example of installation of Bonomini's ADHESIVE waterproofing layer Art. 6822AD--C

Waterproofing adhesive sheet. For "CANALISSIMA»


Application: To waterproof the slab

Material: Woven-non-woven


Color: grey



* Exclusively laying in a horizontal position



Code	Description	Carton	Pallet	Volume
6822AD33C	33 x 33 cm	N.A.	N.A.	N.A.
6822AD60C	33x85 cm	N.A.	N.A.	N.A.
6822AD70C	33x95 cm	N.A.	N.A.	N.A.
6822AD80C	33x105 cm	N.A.	N.A.	N.A.
6822AD90C	33x115 cm	N.A.	N.A.	N.A.
6822AD100C	33x125 cm	N.A.	N.A.	N.A.
6822AD110C	33x135 cm	N.A.	N.A.	N.A.
6822AD120C	33x145 cm	N.A.	N.A.	N.A.



Example of installation of Bonomini's ADHESIVE waterproofing layer Art. 6822AD--C

WATERPROOFING ADHESIVE SHEET






Waterproofing sheet. Inner corner

Application: To waterproof the slab

Material: Woven-non-woven

Color: grey

Code	Description	Carton	Pallet	Volume
6813IM12C	12 x 12 x 6 cm	N.A.	N.A.	N.A.



Esempio di installazione del telo impermeabile NON ADESIVO per uso angolo interno Art. 6813IM12C



Waterproofing sheet. Outer corner

Application: To waterproof the slab

Material: Woven-non-woven

Color: grey

Code	Description	Carton	Pallet	Volume
6814IM12C	18 x 18 x 6 cm	N.A.	N.A.	N.A.



Esempio di installazione del telo impermeabile NON ADESIVO per uso angolo esterno Art. 6814IM12C



"MINI-DRAIN" ultra low floor drain with adjustable flange. Removable rubber wet odour trap version, standard 15 x 15 cm flange

Application: For indoor applications with thin slabs


Material: ABS + stainless steel

Color: black / metal


Code	Description	Carton	Pallet	Volume
6300IX40S7	Outlet \varnothing 40 mm, H 45 mm	20	340	0,160
6300IX50S7	Outlet \varnothing 50 mm, H 57 mm	20	340	0,160



6300IX40S7



6300IX50S7



"MINI-DRAIN" ultra low floor drain with adjustable flange. Removable rubber wet odour trap version, standard 10 x 10 cm flange

Application: For indoor applications with thin slabs


Material: ABS + stainless steel

Color: black / metal


Code	Description	Carton	Pallet	Volume
6338PV40S2	Outlet \varnothing 40 mm, H 45 mm	20	340	0,160
6338PV50S2	Outlet \varnothing 50 mm, H 57 mm	20	340	0,160



6338PV40S2



6338PV50S2



"MINI-DRAIN" ultra low floor drain with adjustable flange. Removable rubber wet odour trap version, special flange for under-the-tile waterproofing 10 x 10 cm

Application: For indoor applications with thin slabs


Material: ABS + stainless steel

Color: black / metal


Code	Description	Carton	Pallet	Volume
6338IM40S2	Outlet \varnothing 40 mm, H 45 mm	20	340	0,160
6338IM50S2	Outlet \varnothing 50 mm, H 57 mm	20	340	0,160



6338IM40S2




6338IM50S2






Detail of the layered section, shows the position of the different used materials. Let's make attention how the metallic grid is putted into the hose tray (MANICHETTA VASSOIO), so to allow the thickness of the grid to the reaching perfectly to the level of finished floor. Particular the presence of the squared expanded polyester (yellow in the picture), for the filling of surrounding area of the grid. It works also as a protection during construction



Notice the possibility to regulate the position of the grid with the lines of the tiles. It is possible to insert grids from 10x10 mm up to 20x20 mm. The perimetric frame provides the fixing surface for the waterproofing made by sheats or by the chemical resins, directly under the tile.




ATTENTION: While positioning the grid, avoid with care to obstruct the hole of the hose tray, in order to pull out easily the special silicone rubber siphon of Bonomini production.



Cover mounted with visible glossy surface



Rotating the DOUBLE-FACE cover to lay the tile



Apply the cement adhesive inside the grid and lay the tile appropriately cut to size

"VASSOIO" vertical floor drain with tileable grid.


Tileable "DOUBLE-FACE" grid with special flange for under-the-tile waterproofing, wet odour trap version

Application: For indoor applications with thin slabs

Material: ABS + stainless steel

Color: black / metal

Code	Description	Carton	Pallet	Volume
69240IX10S7	Outlet \varnothing 40 mm, H 45 mm, 10 x 10 cm stainless steel grid	8	136	0,160
69250IX10S7	Outlet \varnothing 50 mm, H 57 mm, 10 x 10 cm stainless steel grid	8	136	0,160
69240IX15S7	Outlet \varnothing 40 mm, H 45 mm, 15 x 15 cm stainless steel grid	8	136	0,160
69250IX15S7	Outlet \varnothing 50 mm, H 57 mm, 15 x 15 cm stainless steel grid	8	136	0,160
69240IX20S7	Outlet \varnothing 40 mm, H 45 mm, 20 x 20 cm stainless steel grid	8	136	0,160
69250IX20S7	Outlet \varnothing 50 mm, H 57 mm, 20 x 20 cm stainless steel grid	8	136	0,160




"VASSOIO" ultra low floor drain with tileable grid.
Tileable and unreversible standard grid with special flange for under-the-tile waterproofing, wet odour trap version

Application: For indoor applications with thin slabs


Material: PMMA + ABS

Color: black + transparent

Code	Description	Carton	Pallet	Volume
69240TR15S2	Outlet \varnothing 40 mm, H 45 mm, 15 x 15 cm PMMA grid	8	136	0,160
69250TR15S2	Outlet \varnothing 50 mm, H 57 mm, 15 x 15 cm PMMA grid	8	136	0,160



PMMA TRANSPARENT




"VASSOIO" ultra low floor drain with tileable grid.
Tileable "DOUBLE-FACE" grid with special flange for under-the-tile waterproofing, wet odour trap version

Application: For indoor applications with thin slabs

Material: ABS + stainless steel


Color: black / metal


Code	Description	Carton	Pallet	Volume
69240MX15S7	Outlet \varnothing 40 mm, H 45 mm, 15 x 15 cm stainless steel grid	8	136	0,160
69250MX15S7	Outlet \varnothing 50 mm, H 57 mm, 15 x 15 cm stainless steel grid	8	136	0,160



STAINLESS STEEL AISI316

PMMA TRANSPARENT





"VASSOIO" ultra low floor drain with tileable grid.

Tileable "DOUBLE-FACE" grid with special flange for under-the-tile waterproofing, dry odour trap version (NRV), full stainless steel grid

Application: For indoor applications with thin slabs


Material: ABS + stainless steel

Color: black / polished

Code	Description	Carton	Pallet	Volume
6292IX10S7	Vertical outlet \varnothing 50 mm, H 57 mm, 10 x 10 cm grid	8	136	0,160
6292IX15S7	Vertical outlet \varnothing 50 mm, H 57 mm, 15 x 15 cm grid	8	136	0,160
6292IX20S7	Vertical outlet \varnothing 50 mm, H 57 mm, 20 x 20 cm grid	8	136	0,160



**STAINLESS STEEL
AISI316**




A=MM x B=MM

\varnothing 90 x \varnothing 105

\varnothing 150 x \varnothing 134

\varnothing 200 x \varnothing 184



"VASSOIO" ultra low floor drain with tileable grid. Tileable and unreversible standard grid with special flange for under-the-tile waterproofing, dry odour trap version (NRV), with plastic grid

Application: For indoor applications with thin slabs


Material: ABS

Color: transparent



**PMMA
TRANSPARENT**

Code	Description	Carton	Pallet	Volume
6292TR15S2	Vertical outlet \varnothing 50 mm, 15 x 15 cm PMMA grid	8	136	0,160



"VASSOIO" ultra low floor drain with tileable grid. Tileable and unreversible standard grid with special flange for under-the-tile waterproofing, dry odour trap version (NRV), stainless steel plus plastic grid

Application: For indoor applications with thin slabs


Material: ABS / stainless steel

Color: transparent / polished



**STAINLESS STEEL
AISI316
PMMA
TRANSPARENT**

Code	Description	Carton	Pallet	Volume
6292MX15S7	Vertical outlet \varnothing 50 mm, 15 x 15 cm MIXAGE grid	8	136	0,160



"VERTIGO" floor drain with vertical outlet. Dry odour trap version (NRV)


Application: For indoor applications with thin slabs

Material: ABS + stainless steel

Color: grey / metal



Code	Description	Carton	Pallet	Volume
6293IX10S7	Vertical outlet \varnothing 50 mm, 10 x 10 cm grid	20	340	0,160



"VERTIGO" floor drain with vertical outlet. Dry odour trap version (NRV)


Application: For indoor applications with thin slabs


Material: ABS + stainless steel

Color: grey / metal



Code	Description	Carton	Pallet	Volume
6293IX15S7	Vertical outlet \varnothing 50 mm, 15 x 15 cm grid	20	340	0,160






"AL TOMARE" drainage system for masonry bath-tubs. Including 15 x 15 cm lockable design grid, under-the-tile waterproofing flange and chrome-plated overflow

Application: For masonry bath-tubs


Material: ABS + stainless steel

Color: black / metal


Code	Description	Carton	Pallet	Volume
69150CK15S7	Outlet \varnothing 32 mm internal, \varnothing 40 mm external	1	N.A.	N.A.



N.R.V. Non-return valve



Non-return valve N.R.V. in open position, with water flow. The membrane of the valve has a really high sensibility that allows even the minimum water flow. In addition the discharge is higher compared to a traditional siphon. This device allows to reduce the vertical size of the siphons, that can be installed in thin slab, where on the other side a specific siphon should have a limited height of the water column, with the consequent risk to dry too fast and allow the return of the bad smells.



Non-return valve N.R.V. in close position, with no water flow. The perfect adherence of the membrane of the valve to the walls of the discharge stops the return of bad smells into the house. Suitable for all the floor outlet hoses of Bonomini srl, with inlet $\varnothing 90$ mm. Easy to remove for the maintenance of the waste. It can be also used as a fishing device into the water basin of a siphon (for example VULCANO of Bonomini srl), so to create a double block to the smells: both mechanical and hydraulic. In this case it is important to pay attention to insert the valve over to the water level of the siphon, so to avoid to drown the valve. In addition take into consideration a consequent limited reduction of the flow rate.

"NRV" silicon mechanical anti-smell non-return-valve. Universal retro-fit version


Application: To stop bad smells

Material: ABS + sylicon

Color: black / green / white



Code	Description	Carton	Pallet	Volume
6229AR90B4	Floor drain flanges version from $\varnothing 80$ mm to $\varnothing 90$ mm	50	3500	0,029



"NRV" valvola meccanica di non ritorno anti-odore in silicone. Versione retro-fit universale.


Application: To stop bad smells


Material: ABS + sylicon

Color: green / white



Code	Description	Carton	Pallet	Volume
5229AR79B4	Shower drain flanges version from $\varnothing 70$ mm to $\varnothing 80$ mm	50	3500	0,029





"MAGIK-GRID" universal stainless steel grate.


15 x 15 cm

Application: For pipes from Ø110 mm to Ø125 mm


Material: Stainless steel AISI 304 + PVC

Color: polished + black


Code	Description	Carton	Pallet	Volume
6630IX15S	With bolted design grid	15	1050	0,029
6631IX15S	With bolted design grid and anti-smell valve	15	1050	0,029
6640IX15S	With bolted clean-out cover	15	1050	0,029



6630IX15S



6631IX15S




6640IX15S


UNIVERSAL FLOOR GRID for multiple pipe diameters



ONE PIECE FITS ALL



from 4" pipes



upto 5" pipes

"MAGIK-GRID" universal stainless steel grate.


20 x 20 cm

Application: For pipes from Ø110 mm to Ø125 mm


Material: Stainless steel AISI 304 + PVC

Color: polished + black


Code	Description	Carton	Pallet	Volume
6630IX20S	With bolted design grid	15	600	0,057
6631IX20S	With bolted design grid and anti-smell valve	15	600	0,057
6640IX20S	With bolted clean-out cover	15	600	0,057



6630IX20S



6631IX20S




6640IX20S

"GO-GO" trapped floor gully with adjustable grid and coupling. 10 x 10 cm grid

Application: For indoor applications with thin slabs

Material: ABS + stainless steel

Color: grey / metal




6195IX40S2

"MAXI-DRAIN" trapped floor gully with adjustable grid coupling, 5 inlets

Application: For indoor applications with thin slabs

Material: ABS + stainless steel

Color: grey / metal



Code	Description	Carton	Pallet	Volume
6956CX50S9	Outlet $\varnothing 50$ mm	8	136	0,160

U-BOOT 57




"U-BOOT 57" very low floor drain including PVC glueable flange. Featuring EN-274 compliant removable trap and 10 x 10 cm steel grid

Application: For central floor siphoning

Material: polypropylene PP + stainless steel

Color: white / metal



Code	Description	Carton	Pallet	Volume
6740IX10B0	Extended outlet ø 40/50 mm	25	625	0,106


"VULCANO" trapped floor gully.

ABS chrome-plated 10 x10 cm grid


Application: For central floor siphoning

Material: polypropylene PP + stainless steel

Color: black / chrome-plated



Code	Description	Carton	Pallet	Volume
6384CR10B9	Weldable plug-in outlet ø 40/50 mm	25	625	0,106




"HELLAS" multiple inlets floor gully, inlet flanges with sealing o-ring for push-fit connection. With anti-return valve and stainless steel grid 10x 10 cm

Application: For central floor siphoning

Material: ABS

Color: black




Code	Description	Carton	Pallet	Volume
6501IX50S7	Inlet \varnothing 40 mm, outlet \varnothing 50 mm	1	200	0,030
6501IX75S7	Inlet \varnothing 40 mm, outlet \varnothing 75 mm	1	200	0,030

"HELLAS" multiple inlets floor gully, inlet flanges with sealing o-ring for push-fit connection. With anti-return valve and stainless steel grid 15 x 15 cm

Application: For central floor siphoning

Material: ABS

Color: black



Code	Description	Carton	Pallet	Volume
6503IX50S7	Inlet \varnothing 40 mm, outlet \varnothing 50 mm	1	200	0,030
6503IX75S7	Inlet \varnothing 40 mm, outlet \varnothing 75 mm	1	200	0,030

FLOOR TRAPS




Trapped 4 ways PP floor gully made of 1st choice material. 4 ways: one outlet and 3 flanged inlets with sealing o-rings

Application: For central floor siphoning

Material: polypropylene PP

Color: grey

Code	Description	Carton	Pallet	Volume
6560PP17C2	Tall H 170 mm, outlet \varnothing 50 mm	25	500	0,131
6560RD17C2	Tall H 170 mm, outlet \varnothing 40 mm	25	500	0,131
6560PP12C2	Short H 120 mm, outlet \varnothing 50 mm	50	850	0,160
6560RD12C2	Short H 120 mm, outlet \varnothing 40 mm	50	850	0,160




Trapped 4 ways PP floor gully made of recycled material. 4 ways: one outlet and 3 flanged inlets with sealing o-rings

Application: For central floor siphoning

Material: polypropylene PP

Color: grey

Code	Description	Carton	Pallet	Volume
6560PP17RG2	Tall H 170 mm, outlet \varnothing 50 mm	25	500	0,131
6560RD17RG2	Tall H 170 mm, outlet \varnothing 40 mm	25	500	0,131
6560PP12RG2	Short H 120 mm, outlet \varnothing 50 mm	50	850	0,160
6560RD12RG2	Short H 120 mm, outlet \varnothing 40 mm	50	850	0,160




Grinder

Application: To open floor gullies inlets

Material: brass

Color: raw

Code	Description	Carton	Pallet	Volume
6970AC38B.	\varnothing 38 mm	1	N.A.	N.A.



SUPER TAPPO



"SUPERTAPPO" expander plug for floor gullies.

With "BI-POWER" technology


Application: Floor gullies sealing

Material: polypropylene PP + stainless steel


Color: grey / metal



SINGLE PIECE WITHOUT JOINTS



6910PP13RG2



6910PP15RG2


Code	Description	Carton	Pallet	Volume
6910PP13RG2	Plug \varnothing 100 mm, Steel cover \varnothing 125 mm	50	2400	0,048
6910PP15RG2	Plug \varnothing 100 mm, Steel cover \varnothing 140 mm	50	2400	0,048

Expander plug for floor gullies.

Application: Floor gullies sealing

Material: polypropylene PP + stainless steel

Color: green / metal




Code	Description	Carton	Pallet	Volume
6940PE13B9	Plug \varnothing 90 mm, Steel cover \varnothing 125 mm	50	2400	0,048
6950PE13B2	Plug \varnothing 100 mm, Steel cover \varnothing 125 mm	50	2400	0,048
6950PE15B2	Plug \varnothing 100 mm, Steel cover \varnothing 140 mm	50	2400	0,048

Expander grid for floor gullies

Application: Floor gullies sealing

Material: polypropylene PP + stainless steel

Color: green / metal



Code	Description	Carton	Pallet	Volume
6960PE13B9	Funnel \varnothing 100 mm, Steel cover \varnothing 125 mm	50	1000	0,08


Weldable straight joint. Raw brass threaded nut

Application: To be connected with the threaded waste

Material: PEHD + brass

Color: black / raw

Code	Description	Carton	Pallet	Volume
63400T54B9	1"1/4 x ø 40 mm	100	400	0,057
63400T64B9	1"1/2 x ø 40 mm	100	400	0,080



Weldable elbow. Raw brass threaded nut

Application: To be connected with the threaded waste


Material: PEHD + brass

Color: black / raw


Code	Description	Carton	Pallet	Volume
64400T54B9	1"1/4 x ø 40 mm	100	700	0,029
64400T64B9	1"1/2 x ø 40 mm	100	700	0,029



64400T54B9



64400T64B9



"Fontana delle 99 Cannelle" (Tancredi da Penitima - 1272) - L'Aquila



7

7





CONDENSATE - AIR-CONDITIONING





TECHNICAL FEATURES

Release the two hooks which maintain the small basin in position, and incline the small swing-basin in the desired direction.



Apply the carton protection cover on the WALLBOX®, and stop it with the 4 handles, which will avoid also any possible deformations of WALLBOX®, caused by the masonry.



"Wallbox" Air-conditioning device condensating water catcher Double connecting nozzle


Application: Concealed in the wall

Material: PS + PE

Color: white / green



Code	Description	Carton	Pallet	Volume
7810PA50K2	52 cm long box	20	400	0,125



"Wallbox" Air-conditioning device condensating water catcher Double connecting nozzle


Application: Concealed in the wall

Material: PS + PE

Color: white / green



Code	Description	Carton	Pallet	Volume
7810PA40K2	42 cm long box	20	400	0,125




COPERNICO

DRY SIPHON FOR CONDENSATE

Dry wall siphon working with a gravity ball plug, that stop bad smells also without condensate discharge water



Box to install into the wall, the siphon can be removed completely for cleaning and service operations



"Copernico" condensating water dry siphon. Removable for cleaning


Application: For condensating water discharge systems

Material: polypropylene PP

Color: white / green



Code	Description	Carton	Pallet	Volume
7840EC32B0	Threaded outlet 1"	15	1050	0,029



"Copernico" condensating water dry siphon. Removable for cleaning


Application: For condensating water discharge systems

Material: polypropylene PP

Color: white / green




Code	Description	Carton	Pallet	Volume
7841EC32B0	With hose connection ø 16 - 18 - 20 mm	15	1050	0,029



WALLTRAP

READY FOR ANY TYPE
OF CONNECTION




"Walltrap" condensating water odour trap

Application: For condensating water discharge systems

Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
7830UN32B0	Universal version: concealed in-wall or at sight	25	1750	0,029



Connection nozzle for the condensating water hose. BI-POWER washer


Application: To connect the condensate catcher to the plumbin system

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
7886PP32B0	ø 16 -18 - 20 mm x 1"1/4	20	3000	0,004



"Y" branch for condensate discharge installations3 ways branch for white pipes


Application: To connect the condensate catcher to the plumbin system

Material: PE

Color: white



Code	Description	Carton	Pallet	Volume
7882PE20B0	ø 16 -18 - 20 mm	20	3000	0,004



Condensating water waste hose, with anti-UV additives. Supplied in rolls

Application: To connect the condensate catcher to the plumbin system

Material: PE + polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
7892PP18C0	Internal outlet ø 16 mm external outlet ø 18 mm	50 M	2700M	0,12
7892PP20C0	Internal outlet ø 17 mm external outlet ø 20 mm	50 M	2700M	0,12



"Fontana del Facchino" (inerta M. Buonarroti - 1572) - Roma, Via Lata



8



W.C.



8

A SOLUTION FOR ANY
TYPE OF DISCHARGE!



The equipped sealwashers allow a perfect joint, as they conform to any type of discharge and avoid possible leak of bad smells.



BIGMAGIK is versatile, easy to handle and to install, it is not necessary to use particular tools and dopes.


"BIGMAGIK" wc flexible and extensible connector

Application: For hanged or traditional WC

Material: polypropylene PP + TPE

Color: white / yellow

Code	Description	Carton	Pallet	Volume
8250EX55B0	European model	30	600	0,131
8250EC55B0	R.o.w. Model	30	600	0,131
8250EC55C0	R.o.w. Model, without polybag	30	600	0,131






"CIGNO" swan neck elbow for WCInlet \varnothing 80-110 mm

Application: For hanged WC

Material: polypropylene PP + TPE

Color: white / yellow

Code	Description	Carton	Pallet	Volume
8439PP90C0	Outlet \varnothing 90 mm	20	500	0,106
8439PP10C0	Outlet \varnothing 100 mm	20	500	0,106
8439PP11C0	Outlet \varnothing 110 mm	20	500	0,106





"Civitas" WC 90° connection to the floor. With rubber joint

Application: For hanged WC

Material: polypropylene PP + TPE


Color: white / black



8540UN90CO

8541UN90CO

Code	Description	Carton	Pallet	Volume
8540UN90CO	Universal outlet \varnothing 90-110 mm	2	140	0,030
8541UN90CO	Universal outlet \varnothing 90-110 mm, with hanger	2	140	0,030



"Civitas" WC 90° connection to the floor. With rubber joint

Application: For hanged WC

Material: polypropylene PP + TPE


Color: white / black



8540PP90CO

8541PP90CO

Code	Description	Carton	Pallet	Volume
8540PP90CO	Outlet \varnothing 90 mm	2	140	0,030
8541PP90CO	Outlet \varnothing 90 mm, with hanger	2	140	0,030



"Civitas" curva a P per collegamento dei vasi al pavimento. Guarnizione in gomma vulcanizzata

Applicazione: Per vasi WC sospesi

Materiale: polipropilene PP + TPE

Colore: bianco / nero




8530UN90C0



8531UN90C0

Code	Description	Carton	Pallet	Volume
8530UN90C0	Universal outlet \varnothing 90-110 mm	2	140	0,030

8531UN90C0	Universal outlet \varnothing 90-110 mm, with hanger	2	140	0,030
------------	---	---	-----	-------



"Civitas" WC 90° connection to the floor. With rubber joint

Application: For hanged WC

Material: polypropylene PP + TPE

Color: white / black




8530PP90C0



8531PP90C0

Code	Description	Carton	Pallet	Volume
8530PP90C0	Outlet \varnothing 90 mm	2	140	0,030

8531PP90C0	Outlet \varnothing 90 mm, with hanger	2	140	0,030
------------	---	---	-----	-------



"Civitas" WC 90° connection to the floor. With rubber joint

Application: For hanged WC

Material: polypropylene PP + TPE

Color: white / black




8530PP10C0



8531PP10C0

Code	Description	Carton	Pallet	Volume
8530PP10C0	Outlet \varnothing 100 mm	2	140	0,030

8531PP10C0	Outlet \varnothing 100 mm, with hanger	2	140	0,030
------------	--	---	-----	-------



"Civitas" WC 90° connection to the floor. With rubber joint

Application: For hanged WC

Material: polypropylene PP + TPE

Color: white / black




8530PP11C0



8531PP11C0

Code	Description	Carton	Pallet	Volume
8530PP11C0	Outlet \varnothing 110 mm	2	140	0,030

8531PP11C0	Outlet \varnothing 110 mm, with hanger	2	140	0,030
------------	--	---	-----	-------



WC OFFSET CURVE

(PATENT PENDING)



"OFFSET" WC elbow with length regulation.

Stainless steel flange with sealing O-RING

Application: For floor mounted WC


Material: polypropylene PP + Stainless steel

Color: white / chrome-plated / yellow




INNER METAL O-RING



OUTER METAL O-RING



Code	Description	Carton	Pallet	Volume
8620IX10B0	IN \varnothing 90/110 mm - OUT \varnothing 100/110 mm	12	300	0,106



ORIENTABLE EXTENSION



8.6




Orientable extension for WC

Application: For hanged or traditional WC

Material: polypropylene PP + TPE

Color: white / yellow

Code	Description	Carton	Pallet	Volume
8210UN11B0	From 0° to 90°	20	340	0,160



W.C. CONNECTIONS



Straight connection for WC. Inlet \varnothing 80-110 mm

Application: For WC with wall connection


Material: polypropylene PP + TPE

Color: white / yellow



8431PP90C0

Code	Description	Carton	Pallet	Volume
8431PP90C0	Outlet \varnothing 90 mm	25	625	0,106
8431PP11C0	Outlet \varnothing 110 mm	25	625	0,106




8431PP11C0

Offset connection for WC. Inlet \varnothing 80-110 mm

Application: For WC with wall connection


Material: polypropylene PP + TPE

Color: white / yellow



8432PP90C0

Code	Description	Carton	Pallet	Volume
8432PP90C0	Outlet \varnothing 90 mm	25	625	0,106
8432PP11C0	Outlet \varnothing 110 mm	25	625	0,106



8432PP11C0

Solid WC connection


Application: For WC

Material: PVC

Color: white



Code	Description	Carton	Pallet	Volume
8430PV10C0	Length: 180 mm	18	N.A.	0,072
8431PV10C0	Length: 285 mm	15	N.A.	0,058



W.C. CONNECTIONS




WC 90° elbow. Inlet \varnothing 80-110 mm

Application: For WC with wall connection


Material: polypropylene PP + TPE

Color: white / yellow

Code	Description	Carton	Pallet	Volume
8436PP90C0	Outlet \varnothing 90 mm	20	340	0,160
8436PP11C0	Outlet \varnothing 110 mm	20	340	0,160



8436PP90C0



8436PP11C0


WC 90° elbow

Application: For WC

Material: PVC

Color: white / yellow

Code	Description	Carton	Pallet	Volume
8435PV10C0	Without inspection	8	240	0,105




"GOMMONE" universal soft washer

Application: For Bonomini items

Material: TPE

Color: black

Code	Description	Carton	Pallet	Volume
GU3926	Hole \varnothing 90 mm, outlet \varnothing 100/110 mm	1	N.A.	N.A.




"TALL" double-injected WC coupling. Tall version
IN \varnothing 100/110 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: polypropylene PP + TPE

Color: white / yellow




Code	Description	Carton	Pallet	Volume
8423HL10C0	Straight	N.A.	N.A.	N.A.

"TALL" double-injected WC coupling. Tall version
IN \varnothing 100/110 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: polypropylene PP + TPE

Color: white / yellow




Code	Description	Carton	Pallet	Volume
8425HL10C0	20 mm Offset	N.A.	N.A.	N.A.

"TALL" double-injected WC coupling. Tall version
IN \varnothing 100/110 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: polypropylene PP + TPE

Color: white / yellow




Code	Description	Carton	Pallet	Volume
8427HL10C0	40mm Offset	N.A.	N.A.	N.A.

"BI-POWER" double-injected WC coupling
IN \varnothing 100/110 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: polypropylene PP + TPE

Color: white / yellow




Code	Description	Carton	Pallet	Volume
8424LX10C0	Straight	25	1000	0,057

"BI-POWER" double-injected WC coupling
IN \varnothing 100/110 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: polypropylene PP + TPE

Color: white / yellow




Code	Description	Carton	Pallet	Volume
8426LX10C0	20 mm Offset	25	750	0,080

"BI-POWER" double-injected WC coupling
IN \varnothing 100/110 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: polypropylene PP + TPE

Color: white / yellow




Code	Description	Carton	Pallet	Volume
8428LX10C0	40mm Offset	20	600	0,080

"BI-POWER" double-injected WC coupling
IN \varnothing 100/110 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: polypropylene PP + TPE

Color: white / yellow



Code	Description	Carton	Pallet	Volume
8429LX10C0	60 mm Offset	20	600	0,080

PVC COUPLING




Soft coupling

IN \varnothing 100 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: PVC

Color: white



Code	Description	Carton	Pallet	Volume
8416PV10C0	Straight	24	960	0,057


Soft coupling

IN \varnothing 100 mm - OUT \varnothing 100/110 mm.

Application: For floor mounted WC

Material: PVC

Color: white



Code	Description	Carton	Pallet	Volume
8418PV10C0	20 mm Offset	24	960	0,057

Big rosette for w.c. extension pipes


Application: For mounted WC

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
8401PP90C0	External \varnothing 170 mm, hole \varnothing 90 mm	35	2450	0,029
8401PP10C0	External \varnothing 170 mm, hole \varnothing 100 mm	35	2450	0,029
8401PP11C0	External \varnothing 170 mm, hole \varnothing 110 mm	35	2450	0,029



"MAXI" wall rosette for eccentric flushing pipes

O.D. \varnothing 100 mm


Application: For flushing pipes

Material: ABS

Color: chrome-plated



Code	Description	Carton	Pallet	Volume
8801CR32B7	Hole \varnothing 32 mm	10	1500	0,004




Eccentric pipe to connect the flushing pipe to the WC Offset 2 cm

Application: To be connected with the WC

Material: ABS

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
8800CR32B7	\varnothing 32 mm	50	3500	0,029





00°

60°

45°

90°

"SUPER KANNA" universal fitting for high mounted water tanks. Turning fitting


Application: To be connected with the flushing tanks

Material: polypropylene PP

Color: grey



Code	Description	Carton	Pallet	Volume
8850KT32B2	ø 32 mm	25	1200	0,048



FLUSHING PIPE

NEW: ADJUSTABLE ROSETTE
FROM CONCENTRIC TO ECCENTRIC!



8.14





Flushing pipe for concealed water tanks

Application: For concealed water tanks

Material: ABS + polypropylene PP

Color: white / black


Code	Description	Carton	Pallet	Volume
8820AB40B0	Length : 25 cm, Adjustable rosette	50	1250	0,106
8820PP40B0	Length : 25 cm, Steady rosette	50	1250	0,106



Flushing pipe for inclosed flowmeters

Material: polypropylene PP

Color: grey



TUBO DI CACCIATA PER PASSI RAPIDI (FLUSSOMETRI)


Code	Description	Carton	Pallet	Volume
8830UN32B0	Inlet \varnothing 12 mm, Gasket \varnothing 30-32 mm	50	750	0,109

Flushing pipe to inclose for altecon tanks

o-ring for seal and telescopic assembling

Material: PVC

Color: grey




Code	Description	Carton	Pallet	Volume
8845PV30C2	45° inlet bend	40	600	0,109

Flushing pipe to inclose for high tanks with

o-ring for seal and telescopic assembling

Material: PVC

Color: grey



Code	Description	Carton	Pallet	Volume
8890PV30C2	90° inlet bend	40	600	0,109

"Fontana dell'Acqua Bollente" (G. Cerutti - 1879) - Acquiterme (AL)



9



ROSETTES - PIPES

MagikOne

FLEXIBLE AND EXTENSIBLE...
KEEPS THE SHAPE!



TEMPERATURE OF USE: - 30° C, + 90° C

ATTENTION: The thickness of these items
does not allow the installation underground!





"MAGIKONE" flexible and extensible pipe with light
alloy threaded nutBI-POWER washers / single outlet


Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP + Light alloy

Color: white / metal

Code	Description	Carton	Pallet	Volume
93260T44B0	1" x ø 26 mm	100	3000	0,080
93320T44B0	1" x ø 32 mm	100	3000	0,080
93320T54B0	1"1/4 x ø 32 mm	100	3000	0,080
93400T64B0	1"1/2 x ø 40 mm	100	2500	0,106
93340T54B0	1"1/4 x ø 32/40 mm	100	2500	0,106
93450T64B0	1"1/2 x ø 40/50 mm	150	2550	0,160





TEMPERATURE OF USE: - 30° C, + 90° C

ATTENTION: The thickness of these items does not allow the installation underground!





"MAGIKONE" flexible and extensible pipe with plastic nut. BI-POWER washers / single outlet

Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
9326PP44B0	1" x ø 26 mm	100	3000	0,080
9332PP54B0	1"1/4 x ø 32 mm	100	3000	0,080
9340PP64B0	1"1/2 x ø 40 mm	100	2500	0,106
9334PP54B0	1"1/4 x ø 32/40 mm	125	3125	0,106
9345PP64B0	1"1/2 x ø 40/50 mm	140	2380	0,160



MagikOne





"MAGIKONE" flexible and extensible pipe with light alloy threaded nut. BI-POWER washers / with rosette

Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP+Light alloy

Color: white

Code	Description	Carton	Pallet	Volume
9326RM44B0	1" x ø 26 mm	100	3000	0,080
9332RM44B0	1" x ø 32 mm	100	3000	0,080
9334RM54B0	1"1/4 x ø 32/40 mm	125	3125	0,106
9332RM54B0	1"1/4 x ø 32 mm	165	3300	0,131
9340RM64B0	1"1/2 x ø 40 mm	130	2600	0,131





"MAGIKONE" flexible and extensible pipe with plastic nut. BI-POWER washers / with rosette

Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
9332RP54B0	1" x ø 32 mm	160	3200	0,131
9340RP64B0	1"1/2 x ø 40 mm	125	2500	0,131





"GREAT-MAGIK" flexible and extensible pipe with plastic nut. With enlarged spiral pipe

Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
9434PP54B0	1"1/4 x ø 32/40 mm	150	3000	0,131





"GREAT-MAGIK" flexible and extensible pipe with plastic nut. With enlarged spiral pipe

Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
9445PP64B0	1"1/2 x ø 40/50 mm	125	2125	0,160





"MAGIKONE" flexible and extensible pipe with double male exit

Application: To connect pipes together

Material: polypropylene PP

Color: white

Code	Description	Carton	Pallet	Volume
9332CC32B0	ø 32 mm x ø 32 mm	100	3000	0,080
9340CC40B0	ø 40 mm x ø 40 mm	100	3000	0,080



"MAGIKONE" flexible and extensible pipe with plastic nut. Female connection to the valve


Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
9354FM32B0	1"1/4 x ø 32 mm	100	2500	0,106
9364FM40B0	1"1/2 x ø 40 mm	50	1500	0,080



MAGIKONE flexible and extensible pipe with light alloy threaded nut


Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP + Light alloy

Color: white



Code	Description	Carton	Pallet	Volume
9345WS64B0	3/8" - 1"1/2 x ø 40/50 mm	125	2125	0,160



MAGIKONE flexible and extensible pipe with light alloy threaded nut. With brass outlet pipe


Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP + brass

Color: white



Code	Description	Carton	Pallet	Volume
9354CT32B0	1"1/4 x ø 32 mm	100	3000	0,080



"MAGIKONE" flexible and extensible pipe with plastic nut. With 90° elbow


Application: For space-limited applications

Material: polypropylene PP

Color: white




Code	Description	Carton	Pallet	Volume
9374FM54B0	1"1/4 x ø 32/40 mm	100	2500	0,106
9370FM64B0	1"1/2 x ø 40/50 mm	125	2125	0,160



MagikOne

PROBLEM: Repair of a damaged pipe

ATTENTION: The thickness of these items does not allow the installation underground!




"MAGIKONE" flexible and extensible pipe with o-ring connection


Application: To connect pipes together

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
9380FM50B0	ø 40 mm x ø 40/50 mm	50	1500	0,080




"MAGIKONE" flexible and extensible pipe with o-ring connection. Length 900 mm.


Application: To connect pipes together

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
9390FF40B0	ø 40 mm x ø 40 mm	50	1500	0,080



MagikOne

"Salvapiombo"

25
ANNI YEARS
GARANZIA
GUARANTEE





"SALVA-PIOMBO" flexible and extensible pipe with light alloy threaded nutConical connection for lead pipes

Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP + Light alloy

Color: white / metal

Code	Description	Carton	Pallet	Volume
9324ZN54B0	1"1/4 x ø 24-28 mm	50	1500	0,080
9328ZN54B0	1"1/4 x ø 28-32 mm	50	1500	0,080



PROBLEM:

Damaged outlet pipe to replace




ANSWER:

MagikOne with taper rubber and to connect directly with lead pipe, without welding!

MagikOne CHROME-PLATED



9.8



MAGIKONE flexible and extensible pipe with light alloy threaded nut. BI-POWER washers / with rosette

Application: For washbasins, bidets and kitchen sinks


Material: polypropylene PP + Light alloy

Color: Chromed plated

Code	Description	Carton	Pallet	Volume
9332RS44B7	1"1/4 x ø 26 mm	50	2000	0,057
9332RS54B7	1"1/4 x ø 32 mm	50	2000	0,057
9340RS64B7	1"1/2 x ø 40 mm	100	2500	0,106



OPTIONAL



MagikOne



"MAGIKONE" flexible and extensible pipe with threaded valve


Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP + Stainless steel


Color: white / metal



Code	Description	Carton	Pallet	Volume
9532RP54B0	ø 65 mm x ø 32 mm	125	2500	0,131
9640RP64B0	ø 80 mm x ø 40 mm	75	1500	0,131



9532RP54B0



9640RP64B0

"MAGIKONE" flexible and extensible pipe with threaded valve


Application: For washbasins, bidets and kitchen sinks

Material: polypropylene PP + Stainless steel


Color: white



Code	Description	Carton	Pallet	Volume
9533PP54B0	ø 65 mm x ø 32/40 mm	125	2125	0,160
9544PP64B0	ø 80 mm x ø 40/50 mm	75	1275	0,160



9533PP54B0



9544PP64B0



"BISMAGIKA" extensible pipe for gas pipelines.

Self-extinguishing

Application: For gas pipelines

Material: polypropylene PP

Color: yellow

Code	Description	Carton	Pallet	Volume
9002PP20C3	Hole ø 20 mm	50 mt	3300	0,160
9002PP25C3	Hole ø 25 mm	25 mt	2100	0,160
9002PP30C3	Hole ø 30 mm	25 mt	1800	0,160
9002PP40C3	Hole ø 40 mm	25 mt	1600	0,160



... FINO A 3 VOLTE ALLUNGABILE!



"BISMAGIKA®" è normalmente saldabile con un termofusore per tubi in PEHD. Potrete quindi effettuare giunzioni di più rotoli in caso di condutture molto lunghe oppure recuperare tutti gli spezzoni saldandoli fra di loro.

"BISMAGIKA®" è realizzato in PP autestingente, altamente resistente allo schiacciamento, agli urti contro oggetti spigolosi e alle abrasioni. Inoltre mantiene nel tempo tutte le sue caratteristiche fisiche e meccaniche, anche alle basse temperature.


A differenza quindi del PVC plastificato (ammorbidito) il quale subisce nel tempo un processo di invecchiamento dovuto alla degradazione ed al rilascio degli agenti plastificanti (ammorbidenti). Tale fenomeno può arrivare a provocare la fessurazione dei manufatti in PVC plastificato.

"VELOX" opening rosette for radiators, with snap closing

Application: For radiators

Material: polypropylene PP

Color: white




Code	Description	Carton	Pallet	Volume
9930DN10B0	Hole \varnothing 10 mm	25/500	N.A.	0,03
9930DN12B0	Hole \varnothing 12 mm	25/500	N.A.	0,03
9930DN14B0	Hole \varnothing 14 mm	25/500	N.A.	0,03
9930DN16B0	Hole \varnothing 16 mm	25/500	N.A.	0,03
9930DN18B0	Hole \varnothing 18 mm (3/8")	25/500	N.A.	0,03
9930DN20B0	Hole \varnothing 20 mm	25/500	N.A.	0,03
9930DN22B0	Hole \varnothing 22 mm (1/2")	25/500	N.A.	0,03

"EXPORT" opening rosette for radiators, with snap closing

Application: For radiators

Material: polypropylene PP

Color: white




Code	Description	Carton	Pallet	Volume
9940DN10B0	Hole \varnothing 10 mm	25/500	N.A.	0,03
9940DN12B0	Hole \varnothing 12 mm	25/500	N.A.	0,03
9940DN14B0	Hole \varnothing 14 mm	25/500	N.A.	0,03
9940DN15B0	Hole \varnothing 15 mm	25/500	N.A.	0,03
9940DN16B0	Hole \varnothing 16 mm	25/500	N.A.	0,03
9940D3/8B0	Hole \varnothing 18 mm (3/8")	25/500	N.A.	0,03
9940D1/2B0	Hole \varnothing 22 mm (1/2")	25/500	N.A.	0,03
9940D3/4B0	Hole \varnothing 24 mm (3/4")	25/500	N.A.	0,03

"DUPLO" opening rosette Twin openings

Application: For radiators

Material: polypropylene PP

Color: white




Code	Description	Carton	Pallet	Volume
9911PP36B0	ø 8 mm - 16 mm	50	35000	0,004

"EXPORT" opening rosette for radiators, with snap closing. Universal

Application: For radiators

Material: polypropylene PP

Color: white




Code	Description	Carton	Pallet	Volume
9945UN22B0	ø 8 mm - 16 mm	25/500	N.A.	0,03

"VELOX" opening rosette for radiators, with snap closing. Universal

Application: For radiators

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
9935UN22B0	ø 8 mm - 16 mm	25/500	N.A.	0,03

"MULTI-TEST" plug for pipes. Thread 1/2"

Application: To test plumbing systems

Material: polypropylene PP + Rubber


Color: red / blue



9888PP12B6



9888PP12B8



Code	Description	Carton	Pallet	Volume
9888PP12B6	Red	10/200	N.A.	0,03
9888PP12B8	Blue	10/200	N.A.	0,03

"PASSEPARTOUT" Female-Female connection


Application: To connect pipes together

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
9010AF44B0	F \varnothing 26 mm x F \varnothing 26 mm	50	3500	0,029
9010AF54B0	F \varnothing 32 mm x F \varnothing 32 mm	50	3500	0,029
9010AF64B0	F \varnothing 40 mm x F \varnothing 40 mm	50	3500	0,029



"PASSEPARTOUT" Female-Female reduction


Application: To connect pipes together

Material: polypropylene PP

Color: white



Code	Description	Carton	Pallet	Volume
9020RD54B0	F \varnothing 32 mm x F \varnothing 26 mm	50	3500	0,029
9020RD64B0	F \varnothing 40 mm x F \varnothing 32 mm	50	3500	0,029



"PASSEPARTOUT" M-F increase coupling


Application: To connect pipes together

Material: polypropylene PP


Color: white



Code	Description	Carton	Pallet	Volume
9050MS26B0	M \varnothing 26 mm x F \varnothing 32 mm	50	3500	0,029
9050MS32B0	M \varnothing 32 mm x F \varnothing 40 mm	50	3500	0,029



"Fontana Addona" (1860) - Pontelaudolfo (BN)



R



SPARE PARTS




R

"BI-POWER" Conical Washer. Double-material

Application: To avoid leakage

Material: polypropylene PP + TPE

Color: green / grey



Code	Description
GU2334	Ø26mm
GU2073	Ø32mm
GU2074	Ø40mm

"BI-POWER" Flat Washer. Double-material

Application: To avoid leakage

Material: polypropylene PP + TPE

Color: green / grey



Code	Description
GU2333	Ø26mm
GU2200	Ø32mm
GU2201	Ø40mm

Tapered gasket, Reduced tapered gasket

Application: To avoid leakage

Material: thermorubber

Color: white



Code	Description
GU0420	From 1"1/4 to 1"
GU0128	From 1"1/2 to 1" 1/4

Lip washer, big sized

Application: To avoid leakage

Material: Rubber

Color: white



Code	Description
GU2492	ø 120 mm

Underneath gasket. Per lavandini con foro da ø 1"

Application: To avoid leakage

Material: Rubber

Color: white



Code	Description
GU0121	60 x 33 x 8 mm

Rectangular washer. For kitchen sinks overflows

Application: To avoid leakage

Material: Rubber

Color: white



Code	Description
GU2853	Convex
GU2854	Flat

Rubber gasket Waste water

Application: To avoid leakage

Material: Rubber

Color: white



Code	Description
GU2399	Flanged

O- RING.

Applicazione: To avoid leakage

Material: NBR

Color: black



Code	Description
OR2819	ø 100 x 94 x 3 mm
OR0166	ø 30 X 8 mm

Brass valve gasket

Application: To avoid leakage

Material: Rubber

Color: black



Code	Description
OR4072	ø 37 ,5 mm

Plugs for sink wastes, with handle

Application: To close drains

Material: polypropylene PP + TPE

Color: black



Code	Description
1880MG52B9	ø 52 mm
1880MG45B9	ø 45,5 mm

Plugs for sink wastes, with chain

Application: To close drains

Material: polypropylene PP + TPE

Color: black



Code	Description
1880CN52B9	ø 52 mm
1880CN45B9	ø 45,5 mm

Plugs for sink wastes, with ring

Application: To close drains

Material: polypropylene PP + TPE

Color: black



Code	Description
2880AN40B9	ø 40,5 mm

Plugs for sink wastes, with handle

Application: To close drains

Material: polypropylene PP + TPE

Color: black



Code	Description
2880MG40B9	ø 40,5 mm

Plugs for sink wastes, with chain

Application: To close drains

Material: polypropylene PP + TPE

Color: black



Code	Description
2880CN40B9	ø 40,5 mm

Overflow grid. Chrome-plated version

Application: aesthetic function

Material: stainless steel

Color: metal



Code	Description
IX0571	Rectangular

Grid for floor drain

Application: aesthetic function

Material: stainless steel

Color: metal



Code	Description
IX3077	101 x 101 x 5 mm

Grid for floor drain

Application: aesthetic function

Material: ABS

Color: chrome-plated / white



Code	Description
GR0130	Chrome-plated
GR0131	White

"DOCCIONE" cover, With snap connection.

Application: aesthetic function

Material: ABS / stainless steel

Color: chrome-plated / white



Code	Description
CP2459	Chrome-plated
IX3193	Covered with stainless steel coated flange

"LYONNAISE" cover with Insertion.

Application: aesthetic function

Material: ABS / stainless steel

Color: chrome-plated / white



Code	Description
CP4352	Chrome-plated
CP4351	Covered with stainless steel coated flange

Brass screw for "CANESTRO" and "CANESTRINO". chrome-plated

Application: to screw the drain

Material: brass

Color: chrome-plated



Code	Description
VT3012	Brass screw lenght 57 mm

Vite.

For traditional drains.

Application: to screw the drain

Material: brass

Color: chrome-plated



Code	Description
VT0317	M6 x 100 mm
VT4130	M6 x 70 mm

Big rosette. White version

Application: aesthetic function

Material: polypropylene PP

Color: white



Code	Description
RS0179	ø 80 mm x ø 26 mm
RS0180	ø 80 mm x ø 32 mm
RS0181	ø 80 mm x ø 40 mm
RS0386	ø 80 mm x ø 50 mm

Big rosette. chrome-plated version

Application: aesthetic function

Material: ABS

Color: chrome-plated



Code	Description
RS2274	ø 80 mm x ø 26 mm
RS2262	ø 80 mm x ø 32 mm
RS2547	ø 80 mm x ø 40 mm

Small rosette. White version

Application: aesthetic function

Material: polypropylene PP

Color: white



Code	Description
RS1026	ø 80 mm x ø 26 mm
RS1573	ø 80 mm x ø 32 mm
RS1574	ø 80 mm x ø 40 mm

Small rosette. chrome-plated version

Application: aesthetic function

Material: ABS

Color: chrome-plated



Code	Description
RS1562	ø 80 mm x ø 32 mm

Siphon cartridge for "NAUTILUS" and

"FRANCESINO". compliant to EN-274

Application: to avoid bad smells

Material: polypropylene PP

Color: green



Code	Description
TP2994	With o-ring

Big siphon cartridge

compliant to EN-274

Application: to avoid bad smells

Material: polypropylene PP

Color: green / white



CS2966



CS4815

Code	Description
CS2966	For siphon "GO-GO"
CS4815	For siphon "DOCCIONE"

Low siphon cartridge

compliant to EN-274

Application: to avoid bad smells

Material: polypropylene PP

Color: black



CS4058



CS3934

Code	Description
CS4058	For "LAGUNA-SECA"
CS3934	For siphon "PARISIENNE"

Waste for shower tray siphon
For "SPLASH".

Application: aesthetic function

Material: brass

Color: chrome-plated



Code	Description
CP2313	ø 80 mm

Grid in brass.

For "SPLASH".

Application: aesthetic function

Material: brass

Color: chrome-plated



Code	Description
GR3690	Sliced holes

Filter

For "SPLASH".

Application: for siphon cleaning

Material: polypropylene PP

Color: white



Code	Description
GR0133	ø 41,5 mm

ABS chrome-plated handle

Application: for bath tub column opening

Material: ABS

Color: chrome-plated



Code	Description
GH1757	Spare parts for "EXTENSA"

ABS plug

SPARE PARTS for "EXTENSA".

Application: for bath tub column opening

Material: ABS

Color: chrome-plated



Code	Description
TP1741	Chrome-plated

Plug bath tub columns

Chrome-plated

Application: for bath tub column opening

Material: brass

Color: chrome-plated



Code	Description
TC0392	For traditional drains

Plate for "COMPACT".

Application: aesthetic function

Material: ABS

Color: chrome-plated / white



Code	Description
RS0190	White
RS0189	Chrome-plated
RS0738	White 150 x 80 x 5
RS0739	Chrome-plated 150 x 80 x 5

Clip for extensible siphons \varnothing 32/40 mm.

Application: for "MAGIKONE"

Material: polypropylene PP

Color: white / black / chrome-plated



Code	Description
FR4040	White
FR4140	Chrome-plated
FR4340	Black

Obstructor plug

For siphon "SPACE".

Application: to close the water passage

Material: polypropylene PP

Color: green



Code	Description
TC0693	1"1/2

Hose nozzle

For siphon "SPACE".

Application: to connect appliances inlet

Material: polypropylene PP

Color: green



Code	Description
AL0428	Connection \varnothing 40 mm

Threaded cap. 1"1/2

Application: To avoid leakage

Material: polypropylene PP

Colour: white



Code	Description
TP3099	Universal

Flanged plastic pipe

Application: for connection to the siphon

Material: polypropylene PP

Colour: white



Code	Description
CN0943	\varnothing 32 mm x 200 mm
CN0944	\varnothing 40 mm x 200 mm

Smooth plastic pipe

Application: for connection to the siphon

Material: polypropylene PP

Colour: white



Code	Description
CN1320	\varnothing 32 mm x 200 mm
CN1322	\varnothing 40 mm x 200 mm

Kit for "CANALISSIMA". Including: screws, fishing device, filter, o-ring and allen key

Application: spare parts for "CANALISSIMA"



Code	Description
6825RIC01	For all models

Kit for "TAPPATUTTO". Including: spacers, fittings and clips.

Application: spare parts for "TAPPATUTTO"



Code	Description
0831RIC01	For 0831...

Kit for "TAPPATUTTO". Including: spacers, fittings and clips.

Application: spare parts for "TAPPATUTTO"



Code	Description
0832RIC01	For 0832...

Kit for "TAPPAGUASTI". Including: umbrella gasket, mechanism and spacers.

Application: spare parts for "TAPPAGUASTI"



Code	Description
0847RIC01	For all models

Kit for "TAPPARELLO". Including: spacer rings, mechanism and allen key

Application: spare parts for "TAPPARELLO"



Code	Description
0820RIC01	For all models

Flanged elbow

Application: for connection to the siphon

Material: polypropylene PP

Colour: white



Code	Description
CU0082	ø 32 mm x 135 mm
CU0083	ø 40 mm x 230 mm

Water container

Application: for MINI-DRAIN /MIDI-DRAIN

Material: silicone

Colour: green



RC4515


RC4581

Code	Description
RC4515	Lower version
RC4581	Taller version

Exhibitor for siphons

Material: ABS

Color: grey / green




Code	Description
ESP-2486S	Exhibitor for siphons with \varnothing 26 mm outlet
ESP-2460S	Exhibitor for siphons with \varnothing 32 mm outlet
ESP-2461S	Exhibitor for siphons with \varnothing 40 mm outlet

N.B.: Exhibitors are provided without the products shown in the picture

Exhibitor for drainage

Material: ABS

Color: grey / green



Code	Description
ESP-3311S	Exhibitor for drains for table
CP3311	Exhibitor for drains for wall

N.B.: Exhibitors are provided without the products shown in the picture

Exhibitor for TAPPARELLO

Material: ABS

Color: grey



Code	Description
ESP-2394S	Exhibitor for TAPPARELLO

Exhibitor

Material: printed cardboard



Code	Description
ESP-2545S	Dispenser for TAPPARELLO

Exhibitor for tub columns

Material: ABS

Color: grey




Code	Description
ESP-300S	Exhibitor for tub columns

N.B.: Exhibitors are provided without the products shown in the picture

Exhibitor for CANALISSIMA

Material: plexiglass

Color: white / black



Code	Description
ESP-3855	Exhibitor for CANALISSIMA

Exhibitor for washing machine siphons

Material: ABS

Color: grey



Code	Description
ESP-2572S	Exhibitor for washing machine siphons
ESP-2571S	Exhibitor for washing machine siphons

N.B.: Exhibitors are provided without the products shown in the picture

Exhibitor for MICRA

Material: printed cardboard



Code	Description
ESP-0593	Exhibitor for MICRA



via Ferri 36 (z.i.) 25010 Borgosatollo (Bs) Italy
 Tel. +39 030 2507011, Fax +39 030 2507032
 E-mail: bonomini@bonomini.com
 Web: www.bonomini.com

«Imitare le qualità e le caratteristiche altrui
è molto più vergognoso del portare abiti altrui:
perché è il giudizio della propria nullità espresso da se stessi.»

(Arthur Schopenhauer)



via Ferri 36 (z.i.) 25010 Borgosatollo (Bs) Italy
Tel. +39 030 2507011, Fax +39 030 2507032
E-mail: bonomini@bonomini.com
Web: www.bonomini.com