



**Hansgrohe**  
Sustainable shower innovations

NEW

**Crometta<sup>®</sup> –  
Easy savings in water, energy  
and CO<sub>2</sub>. Reducing costs  
with EcoSmart technology.**

# Crometta® Hand Shower, Porter Set, Shower Set



**Crometta® Vario**  
Hand Shower  
# 26330, -400  
# 26332, -400 (9 l/min) EcoSmart  
# 26336, -400 (6 l/min) Green



**Crometta® 1jet**  
Hand Shower  
# 26331, -400  
# 26333, -400 (9 l/min) EcoSmart  
# 26334, -400 (6 l/min) Green



**Crometta® Vario**  
Porter Set  
# 26691, -400 1.25 m  
# 26693, -400 1.25 m (9 l/min) EcoSmart  
# 26692, -400 1.60 m  
# 26694, -400 1.60 m (9 l/min) EcoSmart



**Crometta® 1jet**  
Porter Set  
# 26690, -400 1.25 m  
# 26568, -400 1.25 m (9 l/min) EcoSmart  
# 26567, -400 1.60 m  
# 26569, -400 1.60 m (9 l/min) EcoSmart



**Crometta® Vario**  
Shower Set  
# 26532, -400 0.65 m  
# 26534, -400 0.65 m (9 l/min) EcoSmart  
# 26555, -400 0.65 m (6 l/min) Green  
# 26553, -400 0.65 m with Casetta soap dish (not shown)  
# 26536, -400 0.90 m (not shown)  
# 26538, -400 0.90 m (9 l/min) EcoSmart (not shown)



**Crometta® 1jet**  
Shower Set  
# 26533, -400 0.65 m  
# 26535, -400 0.65 m (9 l/min) EcoSmart  
# 26554, -400 0.65 m (6 l/min) Green  
# 26537, -400 0.90 m (not shown)  
# 26539, -400 0.90 m (9 l/min) EcoSmart (not shown)



## Crometta® Overhead Shower



### Crometta® S 240 Overhead Shower

# 26723, -000  
 # 26724, -000 (9 l/min) EcoSmart  
 # 26725, -000 LowPressure  
 # 27413, -000 Shower arm 390 mm  
 # 27393, -000 Ceiling connection 100 mm  
 # 27389, -000 Ceiling connection 300 mm



### Crometta® E 240 Overhead Shower

# 26726, -000  
 # 26727, -000 (9 l/min) EcoSmart  
 # 26722, -000 LowPressure  
 # 27446, -000 Shower arm 390 mm  
 # 27467, -000 Ceiling connection 100 mm  
 # 27388, -000 Ceiling connection 300 mm



- Round version: Ø 240 mm
- Rectangular version 240 x 240 mm
- Optimal spray performance
- New, slimline design

## Crometta® Combi Set



### Crometta® Vario Combi Set

with Ecostat 1001 CL thermostat  
 # 27812, -000 0.65 m  
 # 27813, -000 0.90 m (not shown)



## Metaflex® Shower Hose



### Metaflex® Shower Hose

# 28167, -000 1.25 m  
 # 28168, -000 1.60 m  
 # 28169, -000 2.00 m



- 1.25–2.00 m length
- Highly flexible plastic body
- Modern look

## Ecostat® 1001 CL Thermostat



**Ecostat® 1001 CL Bath Thermostat**  
 # 13201, -000



**Ecostat® 1001 CL Shower Thermostat**  
 # 13211, -000



- EcoStop function
- Ergonomic metal handle
- Basic set Ø 42 mm
- Robust and so ideal for projects

# Crometta® Showerpipes




**Crometta® S 240**  
Showerpipe  
with Crometta S 240 overhead shower,  
Crometta Vario hand shower  
and Ecostat 1001 CL thermostat,  
shower arm 350 mm  
# 27267, -000  
# 27268, -000 (9 l/min) EcoSmart



**Crometta® S 240**  
Showerpipe  
with Crometta S 240 overhead shower,  
Crometta Vario hand shower  
and single lever mixer,  
shower arm 350 mm  
# 27269, -000



**Crometta® S 240**  
Showerpipe Reno  
with Crometta S 240 overhead shower,  
Crometta Vario hand shower,  
shower arm 350 mm  
# 27270, -000



**Crometta® S 240**  
Showerpipe bath  
with Crometta S 240 overhead shower,  
Crometta Vario hand shower  
and Ecostat Comfort bath thermostat,  
shower arm 350 mm  
# 27320, -000




**Crometta® E 240**  
Showerpipe  
with Crometta E 240 overhead shower,  
Crometta Vario hand shower  
and Ecostat 1001 CL thermostat,  
shower arm 350 mm  
# 27271, -000  
# 27281, -000 (9 l/min) EcoSmart



**Crometta® E 240**  
Showerpipe  
with Crometta E 240 overhead shower,  
Crometta Vario hand shower  
and single lever mixer,  
shower arm 350 mm  
# 27284, -000



**Crometta® E 240**  
Showerpipe Reno  
with Crometta E 240 overhead shower,  
Crometta Vario hand shower,  
shower arm 350 mm  
# 27289, -000



**Crometta® E 240**  
Showerpipe bath  
with Crometta E 240 overhead shower,  
Crometta Vario hand shower  
and Ecostat Comfort bath thermostat,  
shower arm 350 mm  
# 27298, -000



# Crometta® – Easy water and energy savings

## With EcoSmart technology



The new Crometta showers with EcoSmart technology are not only visually appealing, but also ideal for renovating hotel and private bathrooms that demand water and energy savings as well as low flow rates. This is especially important to meet building regulations and certification requirements.

## Calculation for private households



### EcoSmart Technology

An ingenious flow rate limiter and special spray jets reduce the consumption of water to 6 and 9 l/min. Less water then needs to be heated, saving both energy and water costs.

### Technical data for Crometta® Vario hand showers

Vario	EU-Standard	EcoSmart ≈ 9 l/min	EcoSmart ≈ 6 l/min
Water consumption is depending on spray type	13–16 l/min	max. 9.9 l/min	max. 6 l/min
Fully functional from	6.2 l/min (0.4 bar upstream to the shower)	3.8 l/min (0.4 bar upstream to the shower)	3.8 l/min (0.4 bar upstream to the shower)

### Hansgrohe Savings Calculator

Hansgrohe showers with EcoSmart technology not only offer elegant design and maximum comfort, but thanks to the savings in water and energy, they often pay for themselves in just a few months. How high the potential savings are for hotels and private households, and how fast the full return on investment, can be determined quickly and easily with the free Hansgrohe Savings Calculator.



Calculation for hotels:

<http://pro.hansgrohe-int.com/savings-calculator>

For smartphones:

<http://m.pro.savings.hansgrohe-int.com>



Calculation for private households:

[www.hansgrohe-int.com/savings-calculator](http://www.hansgrohe-int.com/savings-calculator)

For smartphones:

<http://m.savings.hansgrohe-int.com>



## Crometta® Vario Hand Shower




**Rain**  
Full shower rain, ideal for rinsing your hair



**Intense Rain**  
An intense jet of water that activates and wakes you up



**Change spray types**  
With a simple turn of the spray face



**QuickClean**  
Easy to clean thanks to silicone nubs



**White/chrome design**  
Attractive play of colours between sleek chrome and elegant white



**Ergonomic handle design**  
Secure grip and spray changes with one hand

**Headquarters** – Hansgrohe SE · P.O. Box 1145 · D-77757 Schiltach · Tel. +49 7836 51-0  
Fax +49 7836 51-1300 · info@hansgrohe.com · www.hansgrohe-int.com

**Australia** – Hansgrohe Pty Ltd · Level 1 · 123 Camberwell Rd · East Hawthorn · Victoria 3123  
Tel. +61 3 9811 9971 · info@hansgrohe.com.au · www.hansgrohe.com.au

**Cyprus** – Hansgrohe Middle East & Africa Ltd. · Pentadaktilou Street 2 · Office 104 · CY-7101 Larnaca (Aradippou)  
Tel. +357 24 813081 · Fax +357 24 813031 · me.support@hansgrohe.com · www.hansgrohe-middleeast.com

**Estonia** – Hansgrohe Eesti esindaja Andrus Asavi · Mäealuse 2/1 · 12618 Tallinn  
Tel. +372 53 32 92 55 · Fax +372 56 00 00 55 · info@hansgrohe.ee · www.hansgrohe.ee

**Latvia** – Hansgrohe Latvijas pārstāvniecība · SIA Aqua Studio · Raiņa iela 14 · LV-3913 Iecava  
Tel. +371 29 22 90 29 · Fax +371 63 94 22 51 · info@hansgrohe.lv · www.hansgrohe.lv

**Lithuania** – Santoza · Ulonų g. 5 · LT-08240 Vilnius · Tel. +370 5 2043291  
Fax +370 5 2043293 · info@hansgrohe.lt · www.hansgrohe.lt

**Panama** – Hansgrohe SE Regional Office · Obarrio Calle 58  
PH Office One · No. 803 · Panama · Republic of Panama · Tel. +507 263 1343 · Fax +507 263-1341

**Singapore** – Hansgrohe Pte. Ltd. · 69 Mohamed Sultan Road · Singapore 239015  
Tel. +65 6884 5060 · Fax +65 6884 5070 · info@hansgrohe.com.sg · www.hansgrohe.com.sg

**South Africa** – Hansgrohe South Africa (Pty) Ltd. · 30 Archimedes Street · Kramerville · Johannesburg  
Tel. +27 (0) 11 445 0000 · Fax +27 (0) 11 445 0199 · sales@hansgrohe.co.za · www.hansgrohe.co.za

**Sweden** – Hansgrohe AB · Svngatan 2B · S-416 68 Göteborg · Tel. +46 31 216600  
Fax +46 31 190103 · info@hansgrohe.se · www.hansgrohe.se

