

**ShowerTablet Select**  
**Shower thermostat 400 for exposed installation**  
 Finish: **Chrome** Article Number: **24360000**



### Description

**product features**

- 1 function
- temperature and volume control
- hand shower holder integrated in the shelf
- material handles: plastic
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- maximum flow rate at 3 bar: 16,3 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety stop at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- shelf made of plastic
- surface shelf: graphite
- connection type: G 1/2
- centre distance: 150 ± 12 mm
- dirt filter included
- thermostat is delivered with button hand shower

### Technology



### Design awards




reddot winner 2021



### Product image




### Scale drawing



**ShowerTablet Select**  
**Shower thermostat 400 for exposed installation**  
 Finish: **Chrome** Article Number: **24360000**



**Flowchart**




**ShowerTablet Select**  
**Shower thermostat 400 for exposed installation**  
 Finish: **Chrome** Article Number: **24360000**



**Exploded Drawing**

Year of production: >04/22



**ShowerTablet Select**  
**Shower thermostat 400 for exposed installation**  
 Finish: **Chrome** Article Number: **24360000**



### Spare part list

Year of production: >04/22

Pos.	Description	Article Number	Price	PU
1	handle	94403000	€ 36,89	1
2	safety set	94404000	€ 36,89	1
3	handle	94405000	€ 22,97	1
4	handle fixing set	92136000	€ 18,80	1
5	nut	98913000	€ 18,80	1
6	thermostat cartridge	98282000	€ 103,17	1
7	spring with sleeve	92340000	€ 11,66	1
8	set of symbols	98367000	€ 45,82	1
9	O-ring 20x1	98140000	€ 3,33	1
10	nut	98368000	€ 11,66	1
11	shut off unit	95758000	€ 103,17	1
12	hollow set screw M6x16 including o-ring 29x3	98372000	€ 8,69	1
13	O-ring 17x2	98199000	€ 3,33	1
14	non return valve (pressure-resistant up to 2 MPa)	95773000	€ 28,92	1
15	set of S-unions	95772000	€ 88,54	1
16	noise reduction	96429000	€ 5,36	1
17	O-ring 29x3	98371000	€ 5,36	1
a	cartridge for exchanged connections	92373000	€ 256,68	1