



Osnovne informacije

Grupa proizvoda	Altivar
Kompatibilnost grupe proizvoda	Altivar Easy 310 Altivar 312 Altivar 61 Altivar 12 Altivar 71 Altivar 312 Solar Altivar 32 Altivar 31C
Kompatibilnost proizvoda	ATV31C018M2 ATV31C037M2 ATV31C037N4 ATV31C055M2 ATV31C055N4 ATV31C075M2 ATV31C075N4 ATV31CU11M2 ATV31CU11N4 ATV31CU15M2 ATV31CU15N4 ATV31CU22N4 Frekventni regulator ATV310 pri 1,5 kW Frekventni regulator ATV310 pri 2,2 kW ATV31CU30N4 ATV31CU40N4 Frekventni regulator ATV310 pri 3 kW Frekventni regulator ATV310 pri 4 kW ATV12H018F1 ATV12H018M2 ATV12H018M3 ATV12H037F1 ATV12H037M2 ATV12H037M3 ATV12H055M2 ATV12H075F1 ATV12H075M2 ATV12H075M3 ATV12HU15M2 ATV12HU15M3 ATV12P037F1 ATV12P037M2 ATV12P037M3 ATV12P055M2 ATV12P075M2 ATV12P075M3 ATV12PU15M3 ATV312H018M2 ATV312H018M3 ATV312H037M2 ATV312H037M3 ATV312H037N4 ATV312H055M2 ATV312H055M3 ATV312H055N4 ATV312H075M2 ATV312H075M3 ATV312H075N4 ATV312HU11M2 ATV312HU11M3 ATV312HU11N4 ATV312HU15M2 ATV312HU15M3 ATV312HU15N4 ATV312HU22N4 ATV312HU30N4 ATV312HU40N4 ATV32H018M2 ATV32H037M2 ATV32H037N4 ATV32H055M2 ATV32H055N4 ATV32H075M2 ATV32H075N4 ATV32HU11M2 ATV32HU11N4 ATV32HU15M2 ATV32HU15N4 ATV32HU22N4 ATV32HU30N4 ATV32HU40N4 ATV32HU40N4 ATV32HU40N4

[ue] nazivni radni napon	24 V DC pri 0,1 A 250 V AC pri 1 A
--------------------------	---------------------------------------

Dopunske informacije

Prosečna dostupna snaga	50 W pri 50 °C 58 W pri 40 °C
Električna veza	Priključak, kapacitet priključka: ≤ 1.5 mm ² / AWG 16 za temperaturni prekidač Priključak, kapacitet priključka: ≤ 4 mm ² / AWG 28 za frekventni regulator
Temperature controlled switch contact resistance	60 μΩ
Tip zaštite	Termička zaštita frekventnim regulatorom ili temperaturnim prekidačem pri 120 °C
Širina	95 mm
Visina	293 mm
Dubina	95 mm
Masa proizvoda	1,9 kg

Okruženje

Ip stepen zaštite	IP20
Temperatura okoline za skladištenje	-25...70 °C
Temperatura okoline za rad uređaja	0...50 °C

Pakovanje

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	21,0 cm
Package 1 Width	38,8 cm
Package 1 Length	20,0 cm
Package 1 Weight	1,957 kg
Unit Type of Package 2	P06
Number of Units in Package 2	9
Package 2 Height	73,5 cm
Package 2 Width	80,0 cm
Package 2 Length	60,0 cm
Package 2 Weight	30,442 kg


Održivost ponude

Propis REACH	REACH Deklaracija
REACH bez SVHC	Da
EU RoHS direktiva	Proaktivna usaglašenost (proizvod nije u zakonskom okviru direktive EU RoHS) EU RoHS deklaracija
Bez toksičnih teških metala	Da
Bez žive	Da
Informacije o RoHS izuzecima	Da
RoHS regulativa za Kinu	RoHS Deklaracija Za Kinu

Ugovorna garancija

Garancija	18 meseci
-----------	-----------

Dimensions



Dimensions in mm

a	b	c	G	H	Ø
95	293	95	70	275	6 x 12

Dimensions in in.

a	b	c	G	H	Ø
3.74	11.53	3.74	2.75	10.82	0.24 X 0.47

Clearance

